



Welcome to the eighteenth edition of The Evaluation Facts for the 2012 - 2013 season. The Evaluation Facts is a regular newsletter keeping you in touch with the latest information from the Graham's Factree Cultivar Evaluation Project.



'FTP081' Peach. Stage 2 Evaluation page 5.



'FTP042' Peach. Stage 1 Evaluation page 6.



'FTP029' Peach. Stage 1 Evaluation page 7.



'FTP085' Peach. Stage 2 Evaluation page 8.

This project is funded by HAL through voluntary contributions from Graham's Factree Pty Ltd with matched funds from the Australian Government.

### Contact us: PH: (03) 9999 1999 FAX (03) 5967 4645 www.factree.com.au or Email: mail@factree.com.au 160 Thonemans Road Hoddles Creek VIC 3139

#### **IMPORTANT NOTICE - DISCLAIMER**

The varieties identified by our "F" series Evaluation code number are in a testing/evaluation phase only and are not yet commercial. Graham's Factree Pty Ltd and our officers and employees together with anyone associated with the cultivar evaluation program in any way ('We' ), provide the information in this newsletter as a guide only. We do not warrant or represent that the information provided in this newsletter is free from errors or omissions or is suitable for your intended use. Subject to any terms implied by law which cannot be excluded, we disclaim all liability for any harm, loss or damage, including but not limited to any loss or damage caused by pests, diseases and/or viruses, or caused or resulting from your use of or reliance on any of the information provided in this newsletter. We strongly recommend that you obtain independent advice before you make any decisions in reliance on this newsletter. Specifically you should make and rely on your own enquiries in relation to any district performance, cropping ability, pollination or any other aspect of the cultivars and/or rootstock mentioned in this newsletter. Our liability for a breach of a condition or warranty implied by law and which cannot be excluded, is limited to the extent possible, at our option, to:

the supply of the relevant replacement trees, or equivalent trees; or the payment of the cost of the replacement trees, or equivalent trees. We will in no event be liable for any loss of profits or other loss or damage whatsoever.



Cultivars are in order of maturity.



Red Fall (cv. 'Zaitreta') Peach. Stage 2 Evaluation page 9.



'FTP0310' Peach. Stage 1 Evaluation page 10.



'Sierra Rose' (D Interspecific Plum. Stage 1 Evaluation page 11.

PBR(b) Unauthorised commercial propagation or sale, conditioning, export, import or Australia Plant Breacher Reinford, at 1994



'FTIP038' Interspecific Plum. Stage 1 Evaluation page 13.



'Marcia's Flavor' (D Interspecific Plum. Stage 1 Evaluation page 12. PBR(D) Unauthorised commercial propagation or sale, conditioning, export, import or Australia Plane Broader's (Mark Art 1994)



'FTIP041' Interspecific Plum. Stage 1 Evaluation page 14.



Cultivars are in order of maturity.



'FTN092' Nectarine. Stage 2 Evaluation page 15.



'FTP065' Peach. Stage 1 Evaluation page 16.



'FTP991 Peach. Stage 2 Evaluation page 17.



'FTN031' Nectarine. Stage 1 Evaluation page 18.



'FTP113' Peach. Stage 1 Evaluation page 19.



'Flavorite' Interspecific Plum. Stage 1 Evaluation page 20.



Cultivars are in order of maturity.



'FTIP066' Interspecific Plum. Stage 1 Evaluation page 21.



'FTP0315' Peach. Stage 1 Evaluation page 22.



'Sweet Juana' (D Peach. Stage 2 Evaluation page 23. PBR(D Unauthorised commercial propagation or sale, conditioning, export, import or proceeding of the variety is an infringement under the



'FTPCP071' Interspecific Plum. Stage 1 Evaluation page 24.



'FTPCP073' Interspecific Plum. Stage 1 Evaluation page 25.



'FTP075' Peach. Stage 2 Evaluation page 26.



Date of Evaluation		31/1/13				Location			Riverland		
Evaluator Name		Jason				Rootstoc	k		Nemaguard		
Cultivar		FTP081				Variety			white peach		
Pink Bud		11/8/12				Full Bloo	m		2/9/12		
1st Pick		31/1/13				2nd Pick					
Skin Thickness	Thin	X Mediur	n 🗌 Th	ick	Colo	our Intensi	у [	Dull	X Moderate	Bright	
Colour Type	Striped	d 🗙 Se	olid	🗌 Blu	ished		Bi-col	oured			
Over Colour	None	c	ream	Gr	een		Orang	le	Yellow	Pink	
%	 Maroo	n 🗌 P	urple	Re	d		🗙 Dark f	Red			
Background Colour	Cream		reen	 Ye	llow/	Green	 Yellov	v			
Bruising	X Absen		ght		odera		Heavy		Skin /10	7	
Flesh Colour	Cream		X W			Yellow		inge	Red	Purple	
Flesh Texture	Hard		oarse	Cri		TCHOW		-		Soft	
							Crunc				
Bleeding	X Juicy		rainy/gritty		edium			nelting	Flesh /10	6	
	None None	X A	round stone	Un	der s	kin	Amount	5%		U	
Ave Fruit Size mm	71mm					Brix %		14			
Fruit Shape	Oblon	g 🗌 O	vate	X Ro	unde	d	Slight	ly flat	Asymmetric	Symn	netric
Fruit Tip	Large	Flat	X Sli	ght	Frui	t Indent		Deep		Slight	t
Flavour	Acid	A	romatic		l lance	d	Bitter		Bland	X Slight	ly sweet
	Very sv	weet			Firm	iness		Soft	X Medium	Hard	
Split Stone %	0					Fruit /	10	6			
Russet	X None	Si	ome	Ma	jority	1					
Russet Position	Calyx e	end Che	eks 🗌	Comple	te	Ge	neral	Ler	nticel Ster	n bowl	Stem end
Sunburn	X Absen	 t ∏Li		 Mo	odera	te	Heavy	,			_
Stem Tear	X None	Some	Se <sup>r</sup>	vere	Stor	e Type:		Cling	Semi-Clin	g 🗙 Free	
Limb Rub	None	 X Li	 ght	Mc	l odera	te	Heavy	 ,			
Cracking	X None	Some		vere	Preh	arvest Dro	op ·	() Evide	nt	Evident	
Fruiting Habit	Latera			ur Type	Unif	orm Ripen	ing	Yes	⊖ No		
Flower Density	bearer		ght		erage	<u>.</u>	Heavy		X Commercial		
Fruit Doubles	X None		ow .		erage		High				
Crop Load	None		ght		erage		Heavy	,	X Commercial		
Tree Vigour	Weak	X Averag		ong	-	Habit		Uprig	Upright	Sprea	ding
Bacterial Spot		Few		5		Smothered			spreading		
	X None	Few		any		Smothered	Tree	/10	6		
Comments & Commercial Comparator									Overall Score /	<b>10</b> <sup>6</sup>	
Factree editori	al notes:										



Date of Evaluati	on	1/2/13		Location	Riverla	nd				
Evaluator Name	•	Jason		Rootstock	Nemag	guard				
Cultivar		FTP042		Variety	white	peach				
Split Stone		Pass		○ Fail						
Balanced Taste		Pass		⊖ Fai	I					
Russet		Pass		○ Fail						
Cracking		Pass		○ Fail						
Appearance		Pass		⊖ Fai	○ Fail					
Stem Tear		Pass		⊖ Fai	I					
Fruit Doubles		Pass		⊖ Fai	I					
Crop Yield		🗌 High		Medium		X Low				
Fruit Size mm	77mm									
Bloom 10%	15/8/12			Full Bloom	12/9/12					
1st Pick	1/2/13			2nd Pick						
Skin 🗌 Cream		Green	🗌 Orang	le	Yellow	Pink				
🗌 Marooi	n	Purple	🗌 Red		🗙 Dark Red					
Flesh 🗌 Cream		Green	🗙 White		Yellow	Orange				
🗌 Red		Purple								
Flavour		Acid	X	Low Acid		Sub-Acid				
Brix %	13									
Score /10										
Proceed to Stage	e 2	⊖Yes ⊖No								
Comments & Commercial Comparator	2nd leaf tree									
Factree edito	Factree editorial notes:									



Date of Evaluati	on	1/2/13		Location	Riverland				
Evaluator Name	•	Jason		Rootstock	Nemaguard				
Cultivar		FTP029		Variety	Yellow peac	h			
Split Stone		Pass		⊖ Fail					
Balanced Taste		Pass		⊖ Fa	il				
Russet		Pass		⊖ Fail					
Cracking		Pass		⊖ Fa	il				
Appearance		Pass		⊖ Fa	il				
Stem Tear		Pass		⊖ Fa	il				
Fruit Doubles		Pass		⊖ Fa	il				
Crop Yield		🗌 High		Medium	X Lo	)W			
Fruit Size mm	73mm								
Bloom 10%	11/8/12			Full Bloom	10/9/12				
1st Pick	1/2/13			2nd Pick					
Skin Cream		Green	🗌 Orang	e	Yellow	Pink			
	n	Purple	🗌 Red		🗙 Dark Red				
Flesh 🗌 Cream		Green	🗌 White		X Yellow	Orange			
Red		Purple							
Flavour		Acid		Low Acid	X Su	ıb-Acid			
Brix %	14								
Score /10									
Proceed to Stage	e 2	⊖Yes ⊖No							
Comments & Commercial Comparator Factree edito	2nd leaf tree								
Factree edito	orial notes	:							



Date of Evaluation		1/2/13		Location		Riverland	
Evaluator Name		Jason		Rootstock		Nemaguard	
Cultivar		FTP085		Variety		yellow peach	
Pink Bud		11/8/12		Full Bloom		8/9/12	
1st Pick		1/2/13		2nd Pick			
Skin Thickness	Thin	X Medium	Thick Col	our Intensity	Dull	Moderate	X Bright
Colour Type	Striped	I 🗙 Solid	Blushe	d 🗌	Bi-coloured		
Over Colour	None	Cream	Green		Orange	X Yellow	Pink
%	Maroo	n 🗌 Purple	Red		Dark Red		
Background Colour	Cream	Green	Yellow	/Green 🗙	Yellow		
Bruising	Absen	t 🔀 Light		ate	Heavy	Skin /10	7
Flesh Colour	Cream		White 🔀	Yellow	Orange	Red	Purple
Flesh Texture	Hard	Coarse			Crunchy	Rubbery	Soft
	X Juicy	Grainy/			Fine/melting		
Bleeding	X None	Around			, <u> </u>	Flesh /10	6.5
Ave Fruit Size mm	70mm			Brix %	nount		
Fruit Shape		g 🗙 Ovate	Round	J be	Slightly flat	Asymmetric	Symmetric
Fruit Tip				it Indent			
Flavour		Flat	X signt		Deep	Flat	Slight
	Acid	Aromat		ed	Bitter	Bland	X Slightly sweet
	Very sv	veet		-	Soft	X Medium	Hard
Split Stone %	0			Fruit /10	6.5		
Russet	X None	Some	Majori	.y			
Russet Position	Calyx e	end Cheeks	Complete	Genera	al 🗌 Ler	nticel 🗌 Stem	bowl Stem end
Sunburn	X Absen	t 🗌 Light	Moder	ate	Heavy		
Stem Tear	X None	Some	Severe Sto	ne Type:	X Cling	Semi-Cling	Free
Limb Rub	None	X Light	Moder	ate	Heavy		
Cracking	X None	Some	Severe Pre	harvest Drop	 Evide	ent 💿 Not E	Evident
Fruiting Habit	Lateral		Spur Type Un	form Ripening	• Yes	◯ No	
Flower Density		Light	X Averag	e 🗌	Heavy	Commercial	
Fruit Doubles	X None		Average		High		
Crop Load	None	Light	X Averag		Heavy	Commercial	
Tree Vigour	Weak	X Average		e Habit	X Uprig	ht Upright	Spreading
Bacterial Spot	X None	Few	Many	Smothered	Tree /10	<sup>m</sup> ⊔ spreading 7	
Comments & Commercial Comparator						Overall Score /1	<b>0</b> 6.5
Factree editor	ial notes:						



Date of Evaluation		1/2/13		Location		Riverland	
Evaluator Name		Jason		Rootstock		Nemaguard	
Cultivar		Red Fall (cv. 'Zaitreta')		Variety		yellow peach	
Pink Bud		2/8/12		Full Bloom		26/8/12	
1st Pick		1/2/13		2nd Pick			
Skin Thickness	Thin	X Medium	Thick Col	our Intensity	Dull	Moderate	X Bright
Colour Type	Striped	d Solid	X Blushee	d 🗌 Bi-	coloured		
Over Colour	None	Cream	Green	Or	ange	X Yellow	Pink
% 70%	Maroo	n 🗌 Purple	Red	🗙 Da	ırk Red		
Background Colour	Cream	Green	Yellow/	/Green 🗙 Ye	llow		
Bruising	X Absen	t 🗌 Light	Modera	ate 🗌 He	avy	Skin /10	7.5
Flesh Colour	Cream	Green	White X	Yellow	Orange	Red	Purple
Flesh Texture	Hard	Coars	e Crisp	X Cr	unchy	Rubbery	Soft
	X Juicy	Grainy	r/gritty 🗌 Mediur	n 🗌 Fir	ne/melting		
Bleeding	None	X Arour	d stone 🔲 Under s	skin <b>Amou</b>	nt 5%	Flesh /10	7.5
Ave Fruit Size mm	73mm			Brix %	15		
Fruit Shape	Oblon	g 🗌 Ovate	Rounde	ed 🗙 Sli	ghtly flat	Asymmetric	
Fruit Tip	 Large	Flat	Slight Fru	it Indent	Deep	Flat	
Flavour	Acid	Arom		ed 🗌 Bit	ter	Bland	Slightly sweet
	X Very sv	weet	Firr	nness	Soft	X Medium	 Hard
Split Stone %	0			Fruit /10	7.5		
Russet	X None	Some	Majorit	у			
Russet Position	Calyx e	end Cheeks	Complete	General	Ler	nticel Stem	bowl Stem end
Sunburn	X Absen	t 🗌 Light	Modera	ate 🗌 He	avy		
Stem Tear	X None	Some	Severe Sto	ne Type:	Cling	Semi-Cling	X Free
Limb Rub	None	🗙 Light	Modera	ate 🗌 He	avy		
Cracking	X None	Some	Severe Pre	harvest Drop	⊖ Evide	nt 💿 Not E	vident
Fruiting Habit	K Latera	Semispur	Spur Type	form Ripening	• Yes	⊖ No	
Flower Density	None	Light	X Averag	e 🗌 He	avy	Commercial	
Fruit Doubles	X None	Low	Averag	e 🗌 Hig	gh		
Crop Load	None	Light	X Averag	e 🗌 He	avy	Commercial	
Tree Vigour	Weak	X Average	Strong Tre	e Habit	X Uprig	ht Dpright spreading	Spreading
Bacterial Spot	X None	Few	Many	Smothered Tre	ee /10	7	
Comments & Commercial Comparator						Overall Score /1	0 7.5
Factree editori	al notes	:					



Date of Evaluati	on	2/2/13		Location	Riverlar	nd				
Evaluator Name	•	Jason		Rootstock	Nemag	uard				
Cultivar		FTP0310		Variety	white p	each				
Split Stone		Pass		⊖ Fai	I					
Balanced Taste		Pass		⊖ Fail						
Russet		Pass		⊖ Fai	I					
Cracking		Pass		⊖ Fai	I					
Appearance		Pass		⊖ Fai	I					
Stem Tear		Pass		⊖ Fai	I					
Fruit Doubles		Pass		⊖ Fai	I					
Crop Yield		🗌 High		Medium		K Low				
Fruit Size mm	70mm									
Bloom 10%	15/8/12			Full Bloom	10/9/12					
1st Pick	2/2/13			2nd Pick						
Skin 🗌 Cream		Green	🗌 Orang	e	Yellow	🗌 Pink				
Maroo	n	Purple	🗙 Red		🗌 Dark Red					
Flesh 🗌 Cream		Green	🗙 White		Yellow	Orange				
🗌 Red		Purple								
Flavour		Acid		Low Acid	2	K Sub-Acid				
Brix %	15									
Score /10										
Proceed to Stage	e 2	⊖Yes ⊖No								
Comments & Commercial Comparator	2nd leaf tree									
Factree edito	Factree editorial notes:									



Date of Evaluat	ion	2/2/13		Location	Riverland	l			
Evaluator Name	2	Jason		Rootstock	Nemagua	ard			
Cultivar		Sierra Rose (D		Variety	Is Plum				
Split Stone		Pass		⊖ Fa	il				
Balanced Taste		Pass		⊖Fa	il				
Russet		• Pass		⊖ Fa	il				
Cracking		Pass		⊖ Fa	il				
Appearance		Pass		⊖ Fa	il				
Stem Tear		Pass		⊖ Fa	il				
Fruit Doubles		Pass		⊖Fa	il				
Crop Yield		🗌 High	X	Medium		Low			
Fruit Size mm	57mm								
Bloom 10%	17/8/12			Full Bloom	12/9/12				
1st Pick	2/2/13			2nd Pick					
Skin 🗌 Cream		Green	🗌 Orang	je	Yellow	Pink			
🗙 Maroo	n	Purple	🗌 Red		Dark Red				
Flesh 🗌 Cream		Green	🗌 White	1	X Yellow	Orange			
🗌 Red		Purple							
Flavour		🗙 Acid		Low Acid		Sub-Acid			
Brix %	14								
Score /10									
Proceed to Stag	e 2	∩Yes ∩No							
Comments & Commercial Comparator	2nd leaf tree								
Factree edito	Factree editorial notes:								



Date of Evaluat	ion	3/2/13		Location	Riverlar	nd			
Evaluator Name	•	Jason		Rootstock	Nemag	uard			
Cultivar		Marcia's Flavor <i>(</i> D		Variety	Is Plum				
Split Stone		Pass		⊖ Fa	iil				
Balanced Taste		Pass		⊖ Fa	ail				
Russet		Pass		⊖ Fa	ail				
Cracking		Pass		⊖ Fa	ail				
Appearance		Pass		⊖ Fa	ail				
Stem Tear		Pass		⊖ Fa	ail				
Fruit Doubles		Pass		⊖ Fa	ail				
Crop Yield		🗌 High		Medium	[	X Low			
Fruit Size mm	55mm								
Bloom 10%	30/8/12			Full Bloom	17/9/12				
1st Pick	3/2/13			2nd Pick					
Skin 🗌 Cream		Green	🗌 Orang	e	Yellow	Pink			
🗙 Maroo	n	Purple	🗌 Red		Dark Red				
Flesh 🗌 Cream		🗌 Green	🗌 White		X Yellow	Orange			
Red		Purple							
Flavour		X Acid		Low Acid	[	Sub-Acid			
Brix %	19								
Score /10									
Proceed to Stag	e 2	⊖Yes ⊖No							
Comments & Commercial Comparator	2nd leaf								
Factree edito	Factree editorial notes:								



Date of Evaluat	ion	3/2/13		Location		Riverland				
Evaluator Name	2	Jason		Rootstock		Nemaguard				
Cultivar		FTIP038		Variety		ls Plum				
Split Stone		Pass		⊖ Fa	ail					
Balanced Taste		Pass		◯ Fail						
Russet		• Pass		⊖ Fa	ail					
Cracking		Pass		⊖ Fa	ail					
Appearance		Pass		⊖ Fa	ail					
Stem Tear		Pass		⊖ Fa	ail					
Fruit Doubles		• Pass		⊖ Fa	ail					
Crop Yield		🗌 High		Medium		X Lov	w			
Fruit Size mm	49mm									
Bloom 10%	21/8/12			Full Bloom	17/9/12					
1st Pick	3/2/13			2nd Pick						
Skin 🗌 Cream		🗌 Green	🗌 Orang	le	X Yello	w	Pink			
🗙 Maroo	n	🗌 Purple	🗌 Red		🗌 Dark	Red				
Flesh 🗌 Cream		Green	🗌 White		🗙 Yello	w	Orange			
🗌 Red		Purple								
Flavour		Acid	X	Low Acid		🗌 Sul	b-Acid			
Brix %	18									
Score /10										
Proceed to Stag	e 2	⊖Yes ⊖No	)	-						
Comments & Commercial Comparator Factree edite		rident with compromis	ed flesh structure							



Date of Evaluat	ion	3/2/13		Location	Riverland	d			
Evaluator Name	2	Jason		Rootstock	Nemagu	ard			
Cultivar		FTIP041		Variety	Is Plum				
Split Stone		Pass		○ Fail					
Balanced Taste		○ Pass		🖲 Fai	I				
Russet		Pass		○Fail					
Cracking		○ Pass		• Fail					
Appearance		Pass		○ Fail					
Stem Tear		• Pass		○ Fail					
Fruit Doubles		• Pass		⊖ Fai	I				
Crop Yield		🗌 High		Medium	X	] Low			
Fruit Size mm	53mm								
Bloom 10%	21/8/12			Full Bloom	23/9/12				
1st Pick	3/2/13			2nd Pick					
Skin Cream		Green	🗌 Orang	je	☐ Yellow ☐ Dark Red	Pink			
Flesh Cream		Green	White		X Yellow	Orange			
Flavour		Acid	X	Low Acid		] Sub-Acid			
Brix %	19								
Score /10									
Proceed to Stag	e 2	∩Yes ∩No							
Comments & Commercial Comparator Factree edito		vith stem cracks							
Factree edito	orial notes	.:							



Evaluator Name       Jacon       Robustor Name       Marray Junit         Culturar       F10092       Variety       yellow mectarine         Pink Bad       (Juli/12       Full Bloom       Juli/12         Stam Takenes       Ithin       Xinducation       Bateline       Statistic         Statistic       Statistic       Statistic       Bateline       Statistic       Park         Batedian       Carsen       Carsen       Orange       Red       Purple         Field Colour       Cream       Gream       Gream       Statistic       Statistic         Bideding       None       Xindural       Greame       White       Yellow       Greame       Statistic         Bideding       None       Xindural       Greame       White       Fire/Raftan       Fire/Raftan       Fire/Raftan         Firera       Statistic       No	Date of Evaluation		3/2/13					Location			Riverla	nd			
Pink Bud       (108/12)       Full Bloom       39/12         1st Pick       3/2/13       2nd Pick         Skin Thickness       Thin       Medum       Thick       Colour Intensity       Dut         Octour Type       Striged       Solid       Burget       Moderate       Birgitt         Octour Type       Striged       Solid       Burget       Orange       Yellow       Pink         Over Colour       Cream       Green       Orange       Yellow       Pink         Background Colour       Cream       Green       Willow/Green       Yellow       Skin /10       7         Fleich Colour       Cream       Green       Willow       Greinny'gritty       Medum       Finemetting         Bleeding       Mone       Course       Critics       Monental       Skin /10       7         Fleich Toture       Hard       Course       Critics       Finemetting       Filesh /10       6.5         Bleeding       Mone       Around stone       Under skin       Amount       5%       T         Fruit Tip       Large       K Fat       Sight       Fuil Indent       Deep       K Rat       Sight/y sweet         Fruit Stape       Oblong       Cov	Evaluator Name		Jason					Rootstoc	k		Nemag	juard			
Spin Trick medium       3r2/13       2nd Pick         Spin Trick medium       Thin       X Medium       Thick       Colour Intensity       Dutl       Moderate       X Bright         Colour Type       Striped       X Solid       Bluthed       Br-coloured       Orange       Yellow       Pink         Spin       Maroon       Purple       Red       X Durk Red       X Brown       Purple         Background Colour       Cream       Green       Yellow       Pink       Yellow       Pink         Spining       X Abornt       Light       Moderate       Heavy       Skin /10       7         Fish Colour       Cream       Green       White       Yellow       Red       Purple         Fish Colour       Cream       Green       White       Yellow       Random       Skin /10       7         Fish Colour       Cream       Green       White       Yellow       Parmetric       Skin /10       6.5         Skin Stone N       More       Corarse       Crosp       Crunchy       Rubbery       Soft         Float Stone %       0       Some       Moderate       Blancd       Sight fint       Asymmetric       Symmetric         First Shape	Cultivar		FTN092					Variety			yellow	nectarine			
Skin Thickness       Thin       Medium       Thick       Colour Intensity       Dull       Moderate       Bright         Colour Type       Striped       Stold       Bluthed       Blockburged         Over Colour       None       Cream       Green       Orange       Yellow       Pink         Stright       Marcon       Purple       Red       Xellow       Purple       Red       Xellow         Background Colour       Cream       Green       Yellow       Orange       Red       Purple         Background Colour       Cream       Green       Yellow       Orange       Red       Purple         Flesh Colour       Cream       Green       White       Xellow       Orange       Red       Purple         Flesh Tosture       Hard       Ccarse       Crisp       Culoury       Rubbery       Soft         Bleeding       None       Maroant stone       Underskin       Anount       Sight       Flesh /10       6.5         Are fruit Size mm       Gfmm       Diray       Riat       Sight       Flat       Sight         Fluit Shape       Oblong       O'vate       Raunded       Bittary       Band       Sighty soveet         Flow	Pink Bud		10/8/12					Full Bloo	m		3/9/12				
Colour Type       Striped       Solid       Buchada       Biccoloured         Over Colour       None       Grean       Grean       Grean       Orange       Yellow       Pink         %       95%       Marcon       Purple       Red       Dark Red         Background Colour       Cream       Green       Yellow       Red       Purple         Field Colour       Cream       Green       Yellow       Red       Purple         Field Colour       Cream       Green       Whoderate       Heavy       Skin /10       7         Field Colour       Cream       Green       Whoderate       Heavy       Skin /10       7         Field Colour       Cream       Green       White       Yellow       Orange       Red       Purple         Field Colour       Cream       Green       White       Yellow       Annount       5%       Fielsh /10       S.5         Ave Fruit Size mm       66mm       Marco       Indighty flat       Anymetric       Symmetric         Fruit The       Large       Flat       Sight       Fruit Indent       Deep       Flat       Sight sone         Split Stone %       0       Fruit Indent       Deep	1st Pick		3/2/13					2nd Pick							
Over Colour       None       Over Ceam	Skin Thickness	Thin	X Med	dium	Thick		Colo	ur Intensi	<sup>ty</sup>	Dull		Moderate	X	Bright	
Over Colour       None       Cream       Green       Orange       Yellow       Pink:         %s       95%       Maroon       Purple       Red       Dark Red         Background Colour       Cream       Green       Yellow/Green       Xyellow       Skin /10       7         Fiels Colour       Cream       Green       Yellow/Green       Xyellow       Red       Purple         Fiels Colour       Cream       Green       White       Yellow       Orange       Red       Purple         Fiels Colour       Cream       Green       White       Yellow       Orange       Red       Purple         Fiels Colour       Cream       Green       White       Yellow       Orange       Red       Purple         Fiels Colour       Gream       Green       White       Yellow       Orange       Red       Purple         Fiels Colour       Gram       Green       Moderate       Heavy       Fiels hight       Soft	Colour Type	Striped		Solid		🗌 Blu	ushed		Bi-colo	oured					
Background Colour       Cream       Green       Yellow/Green       Yellow         Bruising       Absent       Light       Moderate       Heavy       Skin /10       7         Flesh Colour       Cream       Green       White       Yellow       Orange       Red       Purple         Flesh Colour       Cream       Green       White       Yellow       Orange       Red       Purple         Flesh Colour       Cream       Green       White       Yellow       Orange       Red       Purple         Flesh Colour       Cream       Green       White       Yellow       Grange       Red       Purple         Bleeding       None       Around stone       Under skin       Amount       %%       Flesh /10       6.5         Are Fruit Size mm       66mm       First       Slight       Full fleet       Slight       Symmetric         Fruit Tip       Large       Flat       Slight       Full fleet       Bland       Slightly sweet         Flexour       Acid       Aromatic       Balanced       Bitter       Bland       Slightly sweet         Split Stone %       0       Full /10       6.5       Grach       Stem tean       Stem tean       Ste	Over Colour	None		Cream		Gre	een		Orang	e		Yellow	1	Pink	
Background Colour       Cream       Green       Yellow/Green       Yellow         Bruising       X Absent       Light       Moderate       Heavy       Skin /10       7         Fleish Colour       Cream       Green       White       X Yellow       Orange       Red       Purple         Fleish Texture       Haid       Coarse       Crisp       X Crunchy       Rubbery       Soft         Bleeding       None       X Around stone       Under skin       Amount       S%       Fleish /10       6.5         Fruit Shape       Obloing       X Ovate       Rounded       Slightly flat       Anymnetric       Symmetric         Fruit Tip       Large       K Flut       Slight       Fruit Ident       Deep       K Flat       Slightly sweet         Fivour       Acid       Aromatic       Balanced       Bitter       Bland       X Slightly sweet         Fivour       Acid       Aromatic       Balanced       Bitter       Bland       Slightly sweet         Fivour       Acid       Aromatic       Balanced       Bitter       Bland       Slightly sweet         Spit Stone %       0       Fruit /10       6.5       Stem bowl       Stem bowl       Stem end	% 95%	 ☐ Maroo	n [	Purple		C Re	d		🗙 Dark F	led					
Bruising       X Absent       Light       Moderate       Heavy       Skin /10       7         Flesh Colour       C ceam       Green       White       Y rellow       Orange       Red       Purple         Flesh Colour       C ceam       Green       White       Y rellow       Orange       Red       Purple         Flesh Texture       Hard       C carse       C frip       X crunchy       Bubbery       Soft         Bleeding       None       X Around stone       Under skin       Amount       Stis       Flesh /10       6.5         Are Fruit Size mm       66mm       Brix %       17       Fruit Shape       Oblong       Ovate       Rounded       Slight/fat       Asymmetric       Symmetric         Fruit Tip       Large       X Flat       Slight       Fruit indent       Deep       X Flat       Slight         Flavour       Acid       Aromatic       Balanced       Bitter       Bland       X Slight/sweet         Flavour       Acid       Aromatic       Balanced       Bitter       Bland       X Slight/sweet         Split Stone %       0        Fruit Indent       Deep       X Medium       Hard         Split Stone %       0	Background Colour		<u>_</u>			_		Green							
Flesh Colour       Cream       Green       White       Y Yellow       Orange       Red       Purple         Flesh Texture       Hard       Coarse       Crisp       X crunchy       Rubbery       Soft         Bleeding       None       X round stone       Under skin       Amount       Swe       Flesh /10       6.5         Ave Fruit Size mm       66mm       Brix %       17       Fruit Shape       Oblong       X vaund stone       Inder skin       Amount       Swe       Flesh /10       6.5         Fruit Size mm       66mm       Brix %       17       Fruit Size mm       Sight       Symmetric         Fruit Tip       Large       X Flat       Slight       Fruit Indent       Deep       X Flat       Slight ysweet         Fisour       Axid       A romatic       Balanced       Bitter       Bland       X Slight ysweet         Spit Stone %       0       Fruit 100       6.5       Soft       Medium       Hard         Subburn       X Aksent       Light       Moderate       Heavy       Stem bowl       Stem end         Subburn       X Absent       Light       Moderate       Heavy       Rounecial       Free         Limb Rub       None <th>Bruising</th> <th></th> <th>·</th> <th></th> <th></th> <th>_</th> <th></th> <th></th> <th></th> <th></th> <th>Sk</th> <th>in /10</th> <th>7</th> <th></th> <th></th>	Bruising		·			_					Sk	in /10	7		
Flesh Texture       Hard       Coarse       Crisp       Crunchy       Rubbery       Soft         Bleeding       None       X Around stone       Under skin       Amount       5%       Flesh /10       6.5         Ave Fruit Size mm       66mm       Brix %       17         Fruit Shape       Oblong       Ovate       Rounded       Slightly flat       Asymmetric       Symmetric         Fruit Size mm       66mm       Brix %       17         Fruit Shape       Oblong       Ovate       Rounded       Slightly flat       Asymmetric       Symmetric         Fruit Tip       Large       Flat       Slightly sweet       Firmess       Soft       Medium       Hard         Split Stone %       0       Fruit /10       6.5       S       Stightly sweet       Stone Yope:       X Medium       Hard         Suburn       Calyx end       Cheeks       Complete       General       Lenticel       Stem bowl       Stem end         Suburn       Calyx end       Light       Moderate       Heavy       Commercial       Free         Limb Rub       None       Light       Moderate       Heavy       Commercial       Free         Fuiting Habit       Stereard	Flesh Colour				White		_					d [			
Xulcy       Grainy/grity       Medium       Fine/melting         Bleeding       None       X nound stone       Under skin       Amount       5%       Flesh /10       6.5         Ave Fruit Size mm       66mm       Brix %       17         Fruit Shape       Oblong       X Ovate       Rounded       Slightly flat       Asymmetric       Symmetric         Fruit Tip       Large       X Flat       Slight       Fruit Indent       Deep       X Flat       Slightly sweet         Flavour       Acid       Aromatic       Balanced       Bitter       Bland       Slightly sweet         Split Stone %       0       Fruit /10       6.5       Stemest       Medium       Hard         Split Stone %       0       Fruit /10       6.5       Stemest       Stem Fear       Stem Ked       Stem Fear         Russet       None       Some       Majority       Moderate       Heavy       Stem Fear         Stem Tear       None       Some       Severe       Frainset Torp       Evident       Not Evident         Fruiting Habit       Zateral       Semispur       Spur Type       Inform Ripening       Yees       No         Flower Density       None       Light	Flesh Texture			_				Tellow	_	-		L	_ ruip		
Bleeding       None       Around stone       Under skin       Amount       5%       Flesh /10       6.5         Ave Fruit Size mm       66mm       Bilght       Asymmetric       Symmetric         Fruit Shape       Oblong       Ovate       Rounded       Slighty flat       Asymmetric       Symmetric         Fruit Tip       Large       Flat       Slight       Fruit Indent       Deep       Flat       Slighty sweet         Flavour       Acid       Aromatic       Balanced       Bitter       Bland       Slighty sweet         Spit Stone %       0       Fruit /10       6.5       Stem experiments       Soft       Medium       Hard         Spit Stone %       0       Fruit /10       6.5       Stem experiments       Stem experiments         Spit Stone %       0       Fruit /10       6.5       Stem experiments       Stem experiments       Stem experiments         Spit Stone %       0       Fruit /10       6.5       Stem experiments       Stem experiments       Stem experiments         Suburn       Xaset       None       Some       Stem Fruit /10       6.5       Stem end         Suburn       Xaset       Ight       Moderate       Heavy       Stem end       Ste				1			-		_	-		Rubbery	L		
Ave Fruit Size mm 66mm   Brix % 17   Fruit Shape Oblong   Q Ovate Rounded   Silghty flat Axymmetric   Symmetric   Fruit Tip Large   Acid Aromatic   Balanced Bitter   Bland Silghty sweet   Very sweet Firmess   Soft Medium   Hard   Split Stone %   Q   Calyx end   Calyx end   Checks   Comperation   Some   <	Bleeding									-		sh /10	6 5	;	
Fuilt Shape       Oblong       X Ovate       Rounded       Slightly flat       Asymmetric       Symmetric         Fruit Tip       Large       X Flat       Slight       Fruit Indent       Deep       X Flat       Slight         Flavour       Acid       Aromatic       Balanced       Bitter       Bland       X Slightly sweet         Very sweet       Firmness       Soft       X Medium       Hard         Split Stone %       0       Fruit /10       6.5         Russet       None       Some       Majority         Russet Position       Calyx end       Cheeks       Complete       General       Lenticel       Stem bowl       Stem end         Sunburn       Absent       Light       Moderate       Heavy       Stem Caracking       None       Some       Semi-Cling       Free         Limb Rub       None       Some       Severe       Prehavest Drop       Evident       Evident         Fluiting Habit       Lateral       Semispur       Spur Type       Uniform Ripening       Yes       No         Flower Density       None       Lught       Average       Heavy       Commercial         Fruiting Habit       Lateral       Semispur       Spur Type		None	×	Around	stone	Un	ider sk	an	Amount	5%			0.5		
Fruit Tip       Large       K Hat       Slight       Fruit Ident       Deep       K Flat       Slight         Flavour       A cid       A romatic       Balanced       Bitter       Bland       K Slightly sweet         Very sweet       Firmness       S oft       K Medium       Hard         Split Stone %       0       Fruit /10       6.5         Russet       X None       Some       Majority         Russet Position       Calyx end       Cheeks       Complete       General       Lenticel       Stem bowl       Stem end         Sunburn       X Absent       Light       Moderate       Heavy       Stem end         Stem Tear       X None       Some       Severe       Stone Type:       X Cling       Semi-Cling       Free         Limb Rub       None       Some       Severe       Preharvest Drop       Evident       Evident         Fruiting Habit       Kateral       Semispur       Spur Type       Uniform Ripening       Yes       No         Flower Density       None       Kught       Average       Heavy       Commercial       Fruit Doubles         Ring Habit       Light       Average       Heavy       Commercial       Spreading		66mm						Brix %		17					
Flavour       Acid       Aromatic       Balanced       Bitter       Bland       X Sight         Flavour       Acid       Aromatic       Balanced       Bitter       Bland       X Slightly sweet         Very sweet       Firmness       Soft       X Medium       Hard         split Stone %       0       Fruit /10       6.5         Russet       None       Some       Majority         Russet Position       Calyx end       Cheeks       Complete       General       Lenticel       Stem bowl       Stem end         Sunburn       Absent       Light       Moderate       Heavy       Stem end       Stem end         Stem Tear       None       Some       Severe       Stone Type:       X Cling       Semi-Cling       Free         Limb Rub       None       Some       Severe       Preharvest Drop       Evident       Fourition         Fruiting Habit       X Lateral       Semispur       Spur Type       Uniform Ripening       Yes       No         Flower Density       None       Light       Average       Heavy       Commercial         Fruit Doubles       None       Light       Average       Heavy       Commercial         Frue Vigour <th>Fruit Shape</th> <th>Oblong</th> <th></th> <th>] Ovate</th> <th></th> <th>🗌 Ro</th> <th>undeo</th> <th>ł</th> <th>Slight</th> <th>y flat</th> <th></th> <th>Asymmetric</th> <th>[</th> <th>Symmetrie</th> <th>5</th>	Fruit Shape	Oblong		] Ovate		🗌 Ro	undeo	ł	Slight	y flat		Asymmetric	[	Symmetrie	5
Actor Actor   Very sweet     Firmess        Split Stone %     0            Split Stone %     0           Russet     None        Some        Russet        None        Some           Russet        None <th>Fruit Tip</th> <th>Large</th> <th>🗙 Flat</th> <th></th> <th>Slight</th> <th></th> <th>Fruit</th> <th>Indent</th> <th></th> <th>Deep</th> <th></th> <th>X Flat</th> <th>[</th> <th>Slight</th> <th></th>	Fruit Tip	Large	🗙 Flat		Slight		Fruit	Indent		Deep		X Flat	[	Slight	
Split Stone %       0       Fruit /10       6.5         Russet       None       Some       Majority         Russet Position       Calyx end       Cheeks       Complete       General       Lenticel       Stem bowl       Stem end         Sunburn       Absent       Light       Moderate       Heavy         Stem Tear       None       Some       Severe       Stone Type:       Cling       Semi-Cling       Free         Limb Rub       None       Some       Severe       Preharvest Drop       Evident       • Not Evident         Fruiting Habit       Lateral       Semispur       Spur Type       Uniform Ripening       • Yes       No         Flower Density       None       Lught       Average       Heavy       Commercial         Fruit Doubles       None       Light       Average       Heavy       Commercial         Tree Vigour       Weak       Average       Strong       Tree Habit       Upright       Spreading         Bacterial Spot       None       Few       Many       Smothered       Tree /10       6.5	Flavour	Acid		Aromat	ic	Ba	lance	ł	Bitter			Bland	[	X Slightly sw	reet
Russet       None       Some       Majority         Russet Position       Calyx end       Cheeks       Complete       General       Lenticel       Stem bowl       Stem end         Sunburn       X Absent       Light       Moderate       Heavy         Stem Tear       None       Some       Severe       Stone Type:       Cling       Semi-Cling       Free         Limb Rub       None       Light       Moderate       Heavy         Cracking       None       Some       Severe       Preharvest Drop       Evident       Not Evident         Fuiting Habit       Lateral       Semispur       Spur Type       Uniform Ripening       Yes       No         Flower Density       None       X Light       Average       Heavy       Commercial         Fruit Doubles       None       Light       Average       Heavy       Commercial         Tree Vigour       Weak       Average       Strong       Tree Habit       Upright       Spreading         Bacterial Spot       None       Few       Many       Smothered       Tree /10       6		Very sv	veet				Firm	ness		Soft		X Medium	[	Hard	
Russet Position       Calyx end       Cheeks       Complete       General       Lenticel       Stem bowl       Stem end         Sunburn       Absent       Light       Moderate       Heavy         Stem Tear       None       Some       Severe       Stone Type:       Cling       Semi-Cling       Free         Limb Rub       None       Light       Moderate       Heavy       Cracking       None       Some       Severe       Preharvest Drop       Evident       Not Evident         Fruiting Habit       X       Lateral       Semispur       Spur Type       Uniform Ripening       Yes       No         Flower Density       None       Light       Average       Heavy       Commercial         Fruit Doubles       None       Light       Average       Heavy       Commercial         Tree Vigour       Weak       Average       Strong       Tree Habit       Upright       Spreading         Bacterial Spot       None       Few       Many       Smothered       Tree /10       6	Split Stone %	0						Fruit /	10	6.5					
Sunburn Absent Light   Moderate Heavy   Stem Tear None   Some Severe   Some Severe   Stem Tear None   None Light   Moderate Heavy   Cracking   None Some   Some Severe   Preharvest Drop Evident   Fruiting Habit   Stem Tear Some   Some   Some Severe   Preharvest Drop Evident   Fruiting Habit   Stem Tear Semispur   Spur Type Uniform Ripening Yes No Flower Density   None Light   Average   High   Crop Load   None Light   Average Strong Tree Habit Upright Spreading Spreading Spreading Spreading Spreading Spreading Some cial Commercial Commercial Tree /10 6	Russet	X None		Some		Ma	ajority								
Stem Tear None Some Severe Stone Type: Cling Semi-Cling Free   Limb Rub None Light Moderate Heavy   Cracking None Some Severe Preharvest Drop Evident Not Evident   Fruiting Habit Lateral bearer Semispur Spur Type Uniform Ripening Yes No   Flower Density None X Light Average Heavy Commercial   Fruit Doubles None Light Average High   Crop Load None X Light Average Heavy Commercial   Tree Vigour Weak X Average Strong Tree Habit Upright Spreading   Bacterial Spot None Few Many Smothered Tree /10 6	Russet Position	Calyx e	nd 🗌 C	heeks		Comple	te	Ge	neral	Ler	nticel	Ste	m bow	rl 🗌 St	em end
Limb Rub None Light Moderate Heavy   Cracking None Some Severe Preharvest Drop Evident   Fruiting Habit Lateral Semispur Spur Type Uniform Ripening Yes   Flower Density None Light Average Heavy Commercial   Fruit Doubles X None Light Average High   Crop Load None X Light Average Heavy Commercial   Tree Vigour Weak X Average Strong Tree Habit Upright Spreading   Bacterial Spot X None Few Many Smothered Tree /10 6	Sunburn	X Absen	:	Light		Mo	oderat	e	Heavy						
Cracking None Some Severe Preharvest Drop Evident Not Evident   Fruiting Habit Lateral bearer Semispur Spur Type Uniform Ripening Yes No   Flower Density None Light Average Heavy Commercial   Fruit Doubles X None Lught Average High   Crop Load None Light Average Heavy Commercial   Tree Vigour Weak X Average Strong Tree Habit Upright Spreading   Bacterial Spot X None Few Many Smothered Tree /10 6	Stem Tear	X None	Son	ne	Severe	2	Ston	e Type:		X Cling		Semi-Cli	ng [	Free	
Cracking       None       Some       Severe       Preharvest Drop       Evident       Not Evident         Fruiting Habit       Lateral bearer       Semispur       Spur Type       Uniform Ripening       Yes       No         Flower Density       None       Light       Average       Heavy       Commercial         Fruit Doubles       None       Light       Average       High         Crop Load       None       Light       Average       Heavy       Commercial         Tree Vigour       Weak       Average       Strong       Tree Habit       Upright       Spreading       Spreading         Bacterial Spot       None       Few       Many       Smothered       Tree /10       6         Commercial Comparator       Commercial Score       /10       6.5	Limb Rub	X None		Light		Mc	derat	e	Heavy						
Image: Second	Cracking		Son	ne	Severe	2	Preh	arvest Dro	р	⊖ Evide	nt	Not	t Evid	ent	
Flower Density None   None Light   Average Heavy   Fruit Doubles None   Low Average   High     Crop Load   None Light   Average   Heavy   Commercial   Tree Vigour   Weak   Average   Strong   Tree Habit   Upright   Spreading   Bacterial Spot     None   Few   Many   Smothered   Commercial	Fruiting Habit		Sem	nispur	Spur T	уре	Unif	orm Ripen	ing	• Yes		⊖ No			
Crop Load None Light Average Heavy Commercial   Tree Vigour Weak X Average Strong Tree Habit Upright Upright Spreading   Bacterial Spot X None Few Many Smothered Tree /10 6     Comments & Commercial Comparator	Flower Density			Light		Av	erage		Heavy	,		Commercial			
Crop Load       None       Ight       Average       Gommercial         Tree Vigour       Weak       Average       Strong       Tree Habit       Upright       Upright       Spreading         Bacterial Spot       None       Few       Many       Smothered       Tree /10       6         Comments & Commercial Comparator       Overall Score       Overall       6.5	Fruit Doubles	None		_ ] Low		 Av	erage								
Tree Vigour       Weak       Average       Strong       Tree Habit       Upright       Upright       Spreading       Spreading         Bacterial Spot       None       Few       Many       Smothered       Tree /10       6         Comments & Commercial Comparator       Overall       Score       6.5	Crop Load	_	X	_ ] Light		 Av	erage		Heavy			Commercial			
Bacterial Spot       None       Few       Many       Smothered       Tree /10       6         Comments & Commercial Comparator       Overall Score /10       6.5	Tree Vigour				Strong		-		<u> </u>				Γ	Spreading	
Comments & Commercial Comparator	Bacterial Spot				_	,		Smothered				spreadin	g L		
	Commercial Comparator	ial notes:											/10	6.5	



Date of Evaluati	ion	4/2/13		Location	Riverland					
Evaluator Name	•	Jason		Rootstock	Nemaguard					
Cultivar		FTP065		Variety	yellow peac	h				
Split Stone		Pass		⊖ Fa	il					
Balanced Taste		Pass		○ Fail						
Russet		Pass		⊖ Fa	il					
Cracking		Pass		⊖Fa	il					
Appearance		• Pass		⊖ Fa	il					
Stem Tear		Pass		⊖ Fa	il					
Fruit Doubles		Pass		⊖Fa	il					
Crop Yield		🗌 High		Medium	X Lo	w				
Fruit Size mm	68mm									
Bloom 10%	21/8/12			Full Bloom	17/9/12					
1st Pick	4/2/13			2nd Pick						
Skin 🗌 Cream		Green	🗌 Orang	e	Yellow	🗌 Pink				
Maroo	n	Purple	🗌 Red		🗙 Dark Red					
Flesh 🗌 Cream		Green	🗌 White		X Yellow	Orange				
🗌 Red		Purple								
Flavour		Acid		Low Acid	X Su	ub-Acid				
Brix %	12									
Score /10										
Proceed to Stage	e 2	⊖Yes ⊖No								
Comments & Commercial Comparator	2nd leaf tree									
Factree edito	Factree editorial notes:									



Date of Evaluation		4/2/13		Location	[	Riverland	
Evaluator Name		Jason		Rootstock		GF677	
Cultivar		FTP991		Variety	[	Yellow peach	
Pink Bud		12/8/12		Full Bloom		3/9/12	
1st Pick		4/2/13		2nd Pick			
Skin Thickness	Thin	X Medium	n 🗌 Thick Co	lour Intensity	Dull	X Moderate	Bright
Colour Type	Striped	d 🗙 So	lid 🗌 Blush	ed 🗌 Bi-	coloured		
Over Colour	None	Cr	eam Greer	Or	ange	Yellow	Pink
%	Maroo	n 🗌 Pu	Irple Red	X Da	rk Red		
Background Colour	Cream	Gr	een 🗌 Yellov	v/Green 🗙 Ye	llow		
Bruising	X Absen	t 🗌 Lig	ght 🗌 Mode	rate 🗌 He	avy	Skin /10	6.5
Flesh Colour	Cream	Green	White 🔀	Yellow	Orange	Red	Purple
Flesh Texture	Hard		oarse Crisp	Cri	unchy	Rubbery	Soft
	Juicy	Gr	ainy/gritty 🔀 Mediu	ım 🗌 Fir	ne/melting		
Bleeding	None	X Ar	ound stone 🗌 Unde	r skin Amou	nt 5%	Flesh /10	5
Ave Fruit Size mm	74mm			Brix %	12		
Fruit Shape		g 🗙 Ov	vate Round		ghtly flat	Asymmetric	Symmetric
Fruit Tip		Flat		uit Indent			Slight
Flavour			omatic 🗌 Balan	ced 🗌 Bit		Bland	Slightly sweet
	Very sv			mness	Soft	X Medium	Hard
<b></b>				<b>F</b>		Medium	
Split Stone %	0			Fruit /10	4.5		
Russet	X None	So	me Major	ity			
Russet Position	Calyx e	end Chee	ks Complete	General	Len	iticel Stem	bowl Stem end
Sunburn Stem Tear	X Absen	t 🗌 Lig	ght 🗌 Mode		avy		
	X None	Some	Severe	one Type:	Cling	🗙 Semi-Cling	g 🗌 Free
Limb Rub	None	X Lig			avy		
Cracking	X None	Some Some		eharvest Drop	⊖ Evide	nt   Not	Evident
Fruiting Habit	K Latera	Semispu	ur 🗌 Spur Type 🛛	niform Ripening	• Yes	⊖ No	
Flower Density	None None	Liq	ght Avera	ge 🗌 He	avy	X Commercial	
Fruit Doubles	X None	Lo	w Avera	ge 🗌 Hig	gh		
Crop Load	None None	Liq	ght Avera	- 🗆	avy	X Commercial	
Tree Vigour	U Weak	X Average	e Strong <b>Tr</b>	ee Habit	Uprigh	nt 🗙 Upright spreading	Spreading
Bacterial Spot	X None	Few	Many	Smothered Tre	ee /10	6	
Comments & Commercial Comparator						Overall Score /'	10 <sup>5</sup>
Factree editor	al notes	:					



Date of Evaluat	ion	5/2/13		Location	Riverland	d		
Evaluator Name	2	Jason		Rootstock	Nemagu	ard		
Cultivar		FTN031		Variety	Yellow n	ectarine		
Split Stone		Pass		○ Fail				
Balanced Taste		Pass		○ Fail				
Russet		Pass		() Fail				
Cracking		Pass		⊂ Fai	I			
Appearance		Pass		⊖ Fai	I			
Stem Tear		Pass		⊖ Fai	I			
Fruit Doubles		Pass		⊖ Fai	I			
Crop Yield	rop Yield			Medium	X	] Low		
Fruit Size mm	72mm							
Bloom 10%	20/8/12			Full Bloom	10/9/12			
1st Pick	5/2/13			2nd Pick				
Skin 🗌 Cream		Green	Orang	le	Yellow	Pink		
🗌 Maroo	n	Purple	🗌 Red		🗙 Dark Red			
Flesh Cream		Green	🗌 White		X Yellow	Orange		
🗌 Red		Purple						
Flavour		Acid	X	Low Acid		] Sub-Acid		
Brix %	14							
Score /10								
Proceed to Stag	e 2	⊖Yes ⊖No						
Comments & Commercial Comparator	2nd leaf tree							
Factree edito	orial notes	:						



Date of Evaluati	on	5/2/13		Location	Riverland				
Evaluator Name	•	Jason		Rootstock	Nemagua	rd			
Cultivar		FTP113		Variety	white pea	ch			
Split Stone		Pass		 ○ Fail					
Balanced Taste		Pass		○ Fail					
Russet		Pass		⊂ Fail					
Cracking		Pass		⊖ Fa	il				
Appearance		Pass		⊖ Fa	il				
Stem Tear		Pass		⊖ Fa	il				
Fruit Doubles		• Pass		⊖ Fa	il				
Crop Yield 🗌 High 🔀			Medium		Low				
Fruit Size mm	74mm								
Bloom 10%	10/8/12			Full Bloom	21/8/12				
1st Pick	5/2/13			2nd Pick					
Skin 🗌 Cream		Green	🗌 Orang	e	Yellow	Pink			
🗌 Marooi	n	Purple	🔀 Red		🗌 Dark Red				
Flesh  Cream		Green	🗙 White		Yellow	Orange			
🗌 Red		Purple							
Flavour		Acid	X	Low Acid		Sub-Acid			
Brix %	12								
Score /10									
Proceed to Stage	e 2	⊖Yes ⊖No							
Comments & Commercial Comparator	2nd leaf tree								
Factree edito	orial notes								



Date of Evaluation		5/2/13		Location		Riverland			
Evaluator Name	2	Jason		Rootstock	Ν	lemaguard			
Cultivar		Flavorite		Variety	ls	s Plum			
Split Stone		Pass		⊖ Fail					
Balanced Taste		Pass		○ Fail					
Russet		Pass		⊖ Fai	I				
Cracking		Pass		⊖ Fai	I				
Appearance		Pass		⊖ Fai	I				
Stem Tear		Pass		⊖ Fail	I				
Fruit Doubles		Pass		⊖ Fai	I				
Crop Yield	op Yield 🛛 High			Medium		Low			
Fruit Size mm	53mm								
Bloom 10%	21/8/12			Full Bloom	13/9/12				
1st Pick	5/2/13			2nd Pick					
Skin 🗌 Cream		Green	🗌 Orang	e	Yellov	V	Pink		
Maroo	n	🗙 Purple	🗌 Red		🗌 Dark F	Red			
Flesh 🗌 Cream		Green	🗌 White		X Yellow	V	Orange		
🗌 Red		Purple							
Flavour		Acid	X	Low Acid		Sub-Acio	1		
Brix %	22								
Score /10									
Proceed to Stag	e 2	⊖Yes ⊖No							
Comments & Commercial Comparator	2nd leaf tree								
Factree edito	orial notes	:							



Date of Evaluati	on	6/2/13		Location	Riverland				
Evaluator Name	•	Jason		Rootstock	Nemagua	rd			
Cultivar		FTIP066		Variety	Is Plum				
Split Stone		Pass		 Fail					
Balanced Taste		Pass		○ Fail					
Russet		Pass		○ Fail					
Cracking		Pass		⊖ Fai	I				
Appearance		Pass		⊖ Fai	I				
Stem Tear		Pass		⊖ Fai	I				
Fruit Doubles		Pass	⊖ Fail						
Crop Yield		X High		Medium		Low			
Fruit Size mm	55mm								
Bloom 10%	21/8/12			Full Bloom	15/9/12				
1st Pick	6/2/13			2nd Pick					
Skin 🗌 Cream		Green	🗌 Orang	le	Yellow	Pink			
🗙 Maroor	n	Purple	🗌 Red		🗌 Dark Red				
Flesh 🗌 Cream		Green	🗌 White		Yellow	Orange			
🗙 Red		Purple							
Flavour		X Acid		Low Acid		Sub-Acid			
Brix %	17								
Score /10									
Proceed to Stage	e 2	⊖Yes ⊖No							
Comments & Commercial Comparator	2nd leaf tree								
Factree edito	orial notes								



Date of Evaluati	on	6/2/13	Location Riverland						
Evaluator Name	9	Jason		Rootstock	Nema	guard			
Cultivar		FTP0315		Variety	white	peach			
Split Stone		Pass		 ○ Fail					
Balanced Taste		Pass		○ Fail					
Russet		Pass		○ Fail					
Cracking		Pass		⊖Fail					
Appearance		Pass		⊖ Fail					
Stem Tear		Pass		⊖ Fail					
Fruit Doubles		Pass		⊖ Fail					
Crop Yield 🔀 High			Medium		Low				
Fruit Size mm	78mm								
Bloom 10%	15/8/12			Full Bloom	11/9/12				
1st Pick	6/2/13			2nd Pick					
Skin Cream		Green	Orang	e	Yellow		Pink		
Maroo	n	Purple	🗙 Red		🗌 Dark Red				
Flesh Cream		Green	🗙 White		Yellow		Orange		
🗌 Red		Purple							
Flavour		🗌 Acid	X	Low Acid		Sub-Acid			
Brix %	14								
Score /10									
Proceed to Stage	e 2	⊖Yes ⊖No							
Comments & Commercial Comparator	2nd leaf tree								



Date of Evaluation		6/2/13	6/2/13			Location			Riverland					
Evaluator Name		Jason					Rootstoo	k		Nemaguard				
Cultivar		Sweet Juana	b				Variety		yellow peach					
Pink Bud		12/8/12					Full Bloo	m		9/9/12				
1st Pick		6/2/13					2nd Pick							
Skin Thickness	Thin	X Med	lium	Thick		Colo	our Intensi	ty [	Dull	X Mod	derate	B	right	
Colour Type	Striped	1 [	Solid		X B	lushec	l	Bi-co	oloured					
Over Colour	None		Cream		G	reen		Orar	nge	Yellow	1		Pink	
% 80-90%	Maroo	n 🗌	Purple		X R	ed		X Dark	Red					
Background Colour	Cream		Green		□ Y	ellow/	Green	X Yello	)W					
Bruising	X Absen	t 🗌	Light			lodera	te	Heav	vy	Skin /1	0	6		
Flesh Colour	Cream	Gre	en	White		X	Yellow	0	range	Red	F	Purple		
Flesh Texture	Hard		Coarse			risp		Crur	nchy		ery		Soft	
	X Juicy		Grainy/	gritty		1ediun	ı	Fine	/melting					
Bleeding	None	 X	Around	stone		nder s	kin	Amount	5%	Flesh /	10	7		
Ave Fruit Size mm	73mm						Brix %		15					
Fruit Shape	Oblon	а Г	Ovate		R	ounde	d	🗙 Sligh	ntly flat	Asymn	netric		Symmetr	
Fruit Tip	Large	Flat	1	Slight		Frui	t Indent		Deep		lat		Slight	
Flavour	Acid		Aromat		_	alance	d	Bitte		Bland			Slightly s	weet
	Very sv	veet	1				ness		Soft		/ledium		Hard	
Split Stone %	0						Fruit /	10	7					
Russet	None	×	Some			lajority	/							
Russet Position	X Calyx	end C	heeks		Compl	ete	Ge	eneral	Ler	nticel	Stem l	bowl	<u> </u>	item end
Sunburn	Absen	t 🗙	Light			lodera	te	Heav	/y					
Stem Tear	X None	Son	ne	Sever	e	Stor	ne Type:		X Cling	S	emi-Cling		Free	
Limb Rub	None	 X	Light			lodera	te	Heav					·	
Cracking	X None	Son		Sever			narvest Dr	op	() Evide	ent	Not E	vider	nt	
Fruiting Habit	Lateral		ispur	 Spur 1	ype	Unit	orm Riper	ing	• Yes		⊖ No			
Flower Density	None		Light		□ A	verage	2	Heav	vy	X Comm	ercial			
Fruit Doubles	X None	<u>_</u>	Low			verage	2		1					
Crop Load	None	<u>_</u>	Light			verage	2	Heav	/y	X Comm	nercial			
Tree Vigour	Weak	X Ave	rage	Strong	 1	Tree	Habit		X Uprig		Jpright		Spreadin	
Bacterial Spot	X None	Few		Many	-		Smothered	d <b>-</b>			preading			
Comments & Commercial Comparator Factree editori	al notes:								e /10		erall ore /1	0	6.5	



Date of Evaluati	ion	7/2/13		Location	Ri	verland			
Evaluator Name	•	Jason		Rootstock	N	emaguard			
Cultivar		FTPCPO71		Variety	Ρι	ub plum			
Split Stone		Pass		 					
Balanced Taste		Pass		⊂ Fail					
Russet		Pass		⊖ Fa	ail				
Cracking		Pass		⊖ Fa	ail				
Appearance		○ Pass		• Fa	ail				
Stem Tear		Pass		⊖ Fa	ail				
Fruit Doubles		Pass		⊖ Fa	ail				
Crop Yield 🗌 High				Medium		X Low			
Fruit Size mm	53mm								
Bloom 10%	22/8/12		Full Bloom	17/9/12					
1st Pick	7/2/13			2nd Pick					
X       Maroor         Flesh       Cream         Red       Red         Flavour       Score /10         Proceed to Stag       Comments & Commercial Comparator	20			Low Acid	Dark Re		Orange d		



Date of Evaluati	on	7/2/13		Location	Rive	erland			
Evaluator Name	9	Jason		Rootstock	Nen	naguard			
Cultivar		FTPCPO73		Variety	Pub	plum			
Split Stone		Pass		⊖ Fail	I				
Balanced Taste		Pass		○ Fail					
Russet		• Pass		⊖ Fail	l				
Cracking		Pass		⊖ Fail	l				
Appearance		Pass		⊖ Fail	l				
Stem Tear		Pass		⊖ Fail	I				
Fruit Doubles		Pass		⊖ Fail	l				
Crop Yield				Medium		X Low			
Fruit Size mm	49mm								
Bloom 10%	21/8/12	21/8/12			12/9/12				
1st Pick	7/2/13			2nd Pick					
Skin Cream		Green	Orang	je	X Yellow		Pink		
🗙 Marooi	n	Purple	Red	🗌 Dark Red					
Flesh Cream		Green		e 🛛 Yellow 🗌 Orange			Orange		
Red		 Purple							
Flavour		Acid	X	C Low Acid					
Brix %	19								
Score /10	4.5								
Proceed to Stage	e 2	⊖Yes ●No							
Comments & Commercial Comparator	not enough o large stone ca	avity							
	orial notes								



Date of Evaluation		7/2/13			ı	Riverland	Riverland		
Evaluator Name		Jason		Rootsto	ck	Nemaguard			
Cultivar		FTP075		Variety		white peach			
Pink Bud		11/8/12		Full Bloc	om	8/9/12			
1st Pick		7/2/13		2nd Pick	c				
Skin Thickness	Thin	X Medium	Thick	Colour Intens	ity 🗙 Dull	Moderate	Bright		
Colour Type	Striped	d 🗌 Soli	d 🗙 Blu	shed	Bi-coloured				
Over Colour	None	Crea	am 🗌 Gre	en	Orange	Yellow	X Pink		
% 50%	Maroo	n 🗌 Purj	ole 🔀 Red	I	Dark Red				
Background Colour	X Cream	Gre	en 🗌 Yel	ow/Green	Yellow				
Bruising	X Absen	t Ligł	nt 🗌 Mo	derate	Heavy	Skin /10	4		
Flesh Colour	Cream	Green	X White	Yellow	Orange	Red 🗌	Purple		
Flesh Texture	Hard	 Coa			Crunchy	Rubbery	Soft		
	🗙 Juicy	Gra	iny/gritty 🗌 Me	dium	Fine/melting				
Bleeding	None			der skin	Amount 5%	Flesh /10	6		
Ave Fruit Size mm	75mm			Brix %	16				
Fruit Shape									
Fruit Tip	Oblon			Fruit Indent	Slightly flat	Asymmetric	Symmetric		
Flavour	Large	Flat	Slight		Dee		Slight		
The vour	Acid			anced Firmness	Bitter	Bland	Slightly sweet		
	Very sv	weet			Sof	t 🗙 Medium	Hard		
Split Stone %	0			Fruit	<b>/10</b> 7				
Russet	X None	Son	ne 🗌 Ma	jority					
Russet Position	Calyx e	end 🗌 Cheek	s 🗌 Complet	e 🗌 G	eneral 🗌 l	Lenticel Stem	n bowl 📃 Stem end		
Sunburn	X Absen	t 🗌 Ligł	nt 🗌 Mo	derate	Heavy				
Stem Tear	X None	Some	Severe	Stone Type:	Clir	ng 🗌 Semi-Cling	g 🗙 Free		
Limb Rub	None	🗙 Ligł	nt 🗌 Mo	derate	Heavy				
Cracking	X None	Some	Severe	Preharvest Dr	rop 🔿 Evia	dent <ul> <li>Not</li> </ul>	Evident		
Fruiting Habit	X Latera		Spur Type	Uniform Ripe	ning • Yes	No No			
Flower Density	None	X Ligh	nt 🗌 Ave	erage	Heavy	Commercial			
Fruit Doubles	X None	Low	/ Ave	erage	High				
Crop Load	None	🗙 Ligł	nt 🗌 Ave	erage	Heavy	Commercial			
Tree Vigour	Weak	X Average	Strong	Tree Habit	X Up	right Upright spreading	Spreading		
Bacterial Spot	X None	Few	Many	Smothere	d Tree /10	6			
Comments & Commercial Comparator	Low blush an	d crop on 3rd leaf				Overall Score /	10 5		
Factree editor	ial notes:								