

THE EVALUATION FACTS Volume 1, November 2011



Horticulture Australia

Welcome to the first edition of The Evaluation Facts for the 2011-2012 season. The Evaluation Facts is a regular newsletter keeping you in touch with the latest information from Graham's Factree's Cultivar Evaluation Project.

It is that time of year again! The season has gotten away to an early start this year and as a result of the cooler temperatures experienced in October some of the first varieties to come off were a bit small and in some cases, where sugars were a little low, flavor was lacking. Similar to the start of last season heavy rain, hail and in some cases frost has been widespread again, putting pressure on growers in the early part of the season. Harvest issues are paramount but they will be closely followed by problems with disease, particularly if the current humid conditions continue.

The Evaluation Project is now into its second fruiting season and with over two hundred additional varieties being planted this past winter into the Renmark Primary Site we are well on our way to evaluating the broad pool of varieties imported by Grahams Factree. Continued support from regional growers associations and independent growers alike has resulted in Secondary Sites for stone fruit evaluations being established in Swan Hill, Perth Hills, Goulburn Valley and Bangalow, with the first trees being planted into these sites this past winter.

Additional plantings have also taken place at the Primary Site for cherries in North East Victoria and again with support from the industry the project has established Secondary Sites for cherry evaluation in the Adelaide Hills and the Yarra Valley in Victoria, with more sites progressively being developed in other regions.

The Annual Report outlining the findings of last season's evaluations has been published and distributed with the data from the report also being made available on the Grahams Factree website.

In this edition of 'The Evaluation Facts' several commercialised early varieties have been evaluated including 'Honey May' nectarine. This is only the second crop seen from these trees and this point needs to be taken into consideration when reviewing the data. Also evaluated amongst some of the early test cultivars are 'Snow Angel', 'Super Zee', 'Super Lady', and 'Vista Snow' peaches.

We hope you find the information in the newsletter a helpful guide and remember if you wish to discuss any aspect of the project please do not hesitate to contact our office.

This project is funded by HAL through voluntary contributions from Graham's Factree Pty Ltd with matched funds from the Australian Government.



Contact us: PH: (03) 9999 1999 FAX (03) 5967 4645 www.factree.com.au or Email: mail@factree.com.au 160 Thonemans Road Hoddles Creek VIC 3139

IMPORTANT NOTICE - DISCLAIMER

The varieties identified by our "F" series Evaluation code number are in a testing/evaluation phase only and are not yet commercial. Graham's Factree Pty Ltd and our officers and employees together with anyone associated with the cultivar evaluation program in any way (We'), provide the information in this newsletter as quide only. We do not warrant or represent that the information provided in this newsletter is free from errors or omissions or is suitable for your intended use.

Subject to any terms implied by law which cannot be excluded, we disclaim all liability for any harm, loss or damage, including but not limited to any loss or damage caused by pests, diseases and/or viruses, or caused or resulting from your use of or reliance on any of the information provided in this newsletter.

We strongly recommend that you obtain independent advice before you make any decisions in reliance on this newsletter.

Specifically you should make and rely on your own enquiries in relation to any district performance, cropping ability, pollination or any other aspect of the cultivars and/or rootstock mentioned in this newsletter.

Our liability for a breach of a condition or warranty implied by law and which cannot be excluded, is limited to the extent

possible, at our option, to: the supply of the relevant replacement trees, or equivalent trees; or

the payment of the cost of the replacement trees, or equivalent trees

We will in no event be liable for any loss of profits or other loss or damage whatsoever.



THE EVALUATION FACTS Volume 1, November 2011

Contents are in order of maturity date.



'FTP104' Peach. Stage 1 Evaluation page 5.



'Super Lady' (b) Peach on 'Nemaguard' rootstock. Stage 2 Evaluation page 6.

PBR b Unauthorised commercial propagation or sale, conditioning, export, import or Australia *Plant Bready*; *Right At* 1994



'Super Lady' (b Peach on 'Flordagard' rootstock. Stage 2 Evaluation page 7.

PBR: Unauthorised commercial propagation or sale, conditioning, export, import or stocking of propagating material of this variety is an infringement under the *Plent Breeker's Rights*. Ad 1994



'Vista Snow' Peach. Stage 2 Evaluation page 8.



'Snow Angel' (D Peach. Stage 2 Evaluation page 9.



'Super Zee' (b) Peach. Stage 1 Evaluation page 10.



THE EVALUATION FACTS Volume 1, November 2011

Contents are in order of maturity date.



'FTP0717' Peach. Stage 1 Evaluation page 11.



'FTN107' Nectarine. Stage 1 Evaluation page 12.



'Honey May' (D Nectarine. Stage 2 Evaluation page 13. PBR() Unauthorised commercial propagation or sale, conditioning, export, import or Australia Plum Proder Right, Ar 1994



'Earlisweet' (D Cherry. Stage 2 Evaluation page 14. PBR(D) Unauthorised commercial propagation or sale, conditioning, export, import or Australia Plane Brade's Right Ard 1994



'FTN057' Nectarine. Stage 2 Evaluation page 15.



'Spring Fire' Nectarine. Stage 2 Evaluation page 16.



Volume 1, November 2011

Contents are in order of maturity date.



'FTIA094' Interspecific Apricot Stage 1 Evaluation page 17.



'FTP0910' Peach. Stage 1 Evaluation page 18.



'FTN0420' Nectarine. Stage 2 Evaluation page 19.



PBR b Unauthorised commercial propagation or sale, conditioning, export, import or stocking of propagating material for this variety is an infringement under the Plant Breader's Rights Art 1994



'FTN0910' Nectarine Stage 1 Evaluation page 21.



Volume 1, November 2011

Stage 1 Evaluation

| Date of Evalua | tion | 14/10/11 | | Location | Riverla | and | | |
|-----------------|------------|----------|---------|------------|----------|----------|--|--|
| Evaluator Nam | 10 | Jason | | Rootstock | Nemag | guard | | |
| Cultivar | | FTP104 | | Variety | Yellow | / peach | | |
| Split Stone | | X Pass | | | Fail | | | |
| Balanced Taste | ÷1 | X Pass | | | Fail | | | |
| Russet | | Pass | | | Fail | | | |
| Cracking | | Rass | | | Fail | | | |
| Appearance | - | Pass | | X | Fail | | | |
| Stem Tear | | 🗙 Pass | | | Fail | | | |
| Fruit Doubles | $(1) \sim$ | Rass | 🔲 Fail | | | | | |
| Crop Yield | | 🔲 High | | Medium | 1.0 | Low | | |
| Fruit Size mm | 52-56 | | | | | | | |
| Bloom 10% | 26/7/11 | | | Full Bloom | 3/8/11 | | | |
| 1st Pick | 14/10/1 | [] | | 2nd Pick | | | | |
| Skin 🔲 Crear | | 🔲 Green | 🗌 Orang | e | X Yellow | 🗋 Pink | | |
| Flesh 🗌 Crear | n | 🔲 Green | 🗌 White | -11 | X Yellow | 🔲 Orange | | |
| Flavour | | X Acid | | Low Acid | | Sub-Acid | | |
| Brix % | 9 avg (8- | 10) | | | | | | |
| Score /10 | 4 | | | | | | | |
| Progress to Sta | ige 2 | ☐ Yes | | X | No | | | |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | 1. | 5/10/11 | | Location | £ 1 | Riverland | |
|--|------------------------------------|---------------------------------|---------------------|--------------------|---------------|---|----------------------|
| Evaluator Name | Ja | isan | | Rootstock | ¢ | Nemaguard | |
| Cultivar | s | uper Lady | | Variety | | Yellow Peach | |
| PinkBud | ĺ | 4/7/11 | | Full Bloor | n | 6/8/11 | |
| 1st Pick | 1 | 5/10/11 | | 2nd Pick | | | |
| Skin Thickness | Thin | X Medium | Thick | Colour Intensit | y 🗌 Dull | Moderate | X Bright |
| Colour Type | X Striped | Solid | 🔲 Bli | ished | Bi-coloured | | |
| Over Colour | None | Cream | Gr | en | 0 Orange | Yellow | Pink |
| % | Maroon | | □ Re | d | X Dark Red | (Entre) | e. |
| Background Colour | Cream | Green | | low/Green | X Yellow | | |
| Bruising | Absent | X Light | | derate | Heavy | Skin /10 | 6 |
| Flesh Colour | Cream | Green | White | X Yellow | | □ Red □ | Purple |
| Flesh Texture | Hard | | And Williams | | | Rubbery | Soft |
| | X Juicy | Grainy | | sp dium | Fine/melting | L nubbery | IOI SOLE |
| Bleeding | X Juicy | | | der skin | Amount | Flesh /10 | 5 |
| Ave Fruit Size mm | 63 | | | Brix % | 7 | | |
| Fruit Shape | Oblong | X Ovate | E Bo | unded | Slightly flat | Asymmetric. | Symmetric: |
| Fruit Tip | | Flat | Slight | Fruit Indent | | | Slight |
| Flavour | Acid | | - | anced | Bitter | | Slightly sweet |
| | 1 | | | Firmness | | Bland | |
| 12 2 2 | Very swe | et | | | X Soft | Medium | Hard |
| Split Stone % | 0 | | | Fruit / | 10 4.5 | | |
| Russet | X None | Some | □ Ma | jority | | | |
| Russet Position | Calyx en | d 🗌 Cheeks | Comple | te 🔲 Ger | neral 🔲 L | enticel 🔲 Ste | em bowl 🛛 🗌 Stem end |
| Sunburn | X Absent | Light | Md | derate | Heavy | | |
| Stem Tear | None | Some | Severe | Cracking | X Nor | ne Some | Severe |
| Limb Rub | X None | Light. | | derate | Heavy | - Contraction | |
| Cracking | X None | Some | Severe | Preharvest Dro | | lent 🔀 Not Evid | ent |
| Fruiting Habit | Lateral bearer | Semispur | Spur Type | Uniform Ripeni | | and the second se | |
| Flower Density | None | Light | Av | etade | Heavy | | ¥ |
| Fruit Doubles | | | | | High | | |
| Crop Load | X None | Low | AV | | | | |
| Free Vigour | None | Light | X Av | Tree Habit | Heavy | Commercial | E cardo tra |
| Bacterial Spot | Weak | X Average | Strong | Contraction of the | X Upr | ight Spreadir | |
| varienal spot | X None | E Few | Many | Smothered | Tree /10 | 7 | |
| Comments & Commercial Comparator | Goes soft quick May suit low ch | seems firmer on Nem ill area | aguard than Flordag | uard | - | Overall Score | /10 6 |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | | 16/10/11 | | Location | | Riverland | |
|--------------------|-------------------------------|--------------|-----------|-----------------|----------------|--------------------|-------------------|
| Evaluator Name | | Jason | | Rootstock | | Flordaguard | |
| Cultivar | | Super Lady | | Variety | | Yellow Peach | |
| Pink Bud | | 14/7/11 | | Full Bloom | | 4/8/11 | |
| 1st Pick | | 16/10/11 | | 2nd Pick | | | |
| Skin Thickness | 🔲 Thin | 🔀 Medium | Thick Co | olour Intensity | 🔲 Dull | Moderate | 🗙 Bright |
| Colour Type | 🗙 Striped | d 🗌 Solid | Blush | ed [| Bi-coloured | | |
| Over Colour | None | Cream | Green | | Orange | Yellow | Pink |
| % | ── | n 🗌 Purple | Red | | 🗙 Dark Red | | |
| Background Colour | Cream | Green | Yellow | v/Green | X Yellow | | |
| Bruising | Absen | t 🔀 Light | Mode | | Heavy | Skin /10 | 6 |
| Flesh Colour | Cream | | | Yellow | Orange | Red | Purple |
| Flesh Texture | Hard | Coarse | | <u></u> Г | Crunchy | Rubbery | Soft |
| | 📕 Juicy | Grainy/ | | ım D | K Fine/melting | | |
| Bleeding | None | | | | Amount | Flesh /10 | 5 |
| Ave Fruit Size mm | 60 | | | Brix % | 8 | | |
| Fruit Shape | Diblom | g 🗙 Ovate | Round | | Slightly flat | Asymmetric | Symmetric |
| Fruit Tip | | Flat | | uit Indent | | | Slight |
| Flavour | Large | | | | | | |
| | | Aromat | | mness | Bitter | Bland | Slightly sweet |
| | Very si | weet | | | Soft | Medium | Hard |
| Split Stone % | 0 | | | Fruit /1 | 0 4 | | |
| Russet | 🗙 None | Some | Major | ity | | | |
| Russet Position | Calyx e | end 🗌 Cheeks | Complete | 🔲 Gene | eral 🗌 L | enticel 🗌 Ster | n bowl 🔄 Stem end |
| Sunburn | 🗙 Absen | t 🗌 Light | 🔲 Mode | rate [| Heavy | | |
| Stem Tear | None | Some | Severe Cr | acking | 🗙 Nor | e 🗌 Some | Severe |
| Limb Rub | 🗙 None | Light | Mode | rate [| Heavy | | |
| Cracking | 🗙 None | Some | Severe Pr | eharvest Drop | Evid | lent 🔀 Not Evide | nt |
| Fruiting Habit | Latera bearer | Semispur | Spur Type | niform Ripenin | i g Yes | X No | |
| Flower Density | None | Light | 🗙 Avera | ge [| Heavy | Commercial | |
| Fruit Doubles | 🗙 None | Low | Avera | ge [| High | | |
| Crop Load | None | Light | 🗙 Avera | ge [| Heavy | Commercial | |
| Tree Vigour | Weak | Average | Strong Tr | ee Habit | Upr | ight Dyright | Spreading |
| Bacterial Spot | None | Few | Many |] Smothered | Tree /10 | 7 | <u> </u> |
| | Goes soft qui May suit low | | | | | Overall Score / | 10 6 |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | 1. | 5/10/11 | | Locatio | m | | Riverland | |
|--|-------------------|------------|---|-----------------------|---------|---------|------------------|--------------------|
| Evaluator Name | st | son | | Rootsto | xk | | Nemaguard | |
| Cultivar | Vi | sta Snow | | Variety | N. I. | | White Peach | |
| PinkBud | Į. | 1/7/11 | | Full Blo | om | | 4/8/11 | |
| 1st Pick | 14 | 5/10/11 | | 2nd Pic | k | | | |
| Skin Thickness | Thin | X Medium | Thick | Colour Inten | sity [| Dul | X Moderate | Bright |
| Colour Type | X Striped | Solid | ПВ | ushed | Bi-col | oured | - | |
| Over Colour | None | Cream | Gr | een | D Orang | le | Yellow | Pink |
| % | Maroon | | | | Dark I | | (E) inve | H |
| Background Colour | Cream | Green | (many) | llow/Green | Yellow | | 1 | |
| Bruising | Absent | X Light | | oderate | Heavy | | Skin /10 | 7 |
| Flesh Colour | Cream | Green | White | Yellow | | | Red [|] Purple |
| Flesh Texture | Hard | | interest of the second s | | Crunc | 110 | Rubbery | Soft |
| 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | | | | isp edium | - E | | | I aoit |
| Bleeding | X Juicy | Aroun | | nder skin | Amount | nelting | Flesh /10 | 6 |
| Ave Fruit Size mm | 64 | - | | Brix % | 1 | 10 | | |
| Fruit Shape | | | — • | | (mark) | - | — | |
| Fruit Tip | Oblong | X Ovate | the second se | unded Fruit Indent | Slight | - | Asymmetric. | Symmetric |
| Flavour | Large | Flat | X Slight | 1.1.1.1.1.1.1 | - | Deep | | Slight |
| riavoui | Acid | Aroma | tic 🗌 Ba | lanced | Bitter | | Bland | Slightly sweet |
| | Very swe | et | | Firmness | A | Soft | X Medium | Hard |
| Split Stone % | 0 | | | Fruit | /10 | 5 | | |
| Russet | X None | Some | M | ajority | | | | |
| Russet Position | Calyx end | i 🗌 Cheeks | Comple | te 🔲 (| General | Le | nticel 🔲 Ste | m bowl 📃 Stem end |
| Sunburn | X Absent | Light | M | oderate | Heavy | | | |
| Stem Tear | None | X Some | Severe | Cracking | | X None | Some | Severe |
| Limb Rub | X None | Light | T M | oderate | Heavy | , | | |
| Cracking | X None | Some | Severe | Preharvest D | | Evide | ent 🗙 Not Evide | ent |
| Fruiting Habit | Lateral bearer | Semispur | Spur Type | Uniform Ripe | ening | X Yes | No No | |
| Flower Density | None | Light | X Av | rerage | Heavy | - | | 1 |
| Fruit Doubles | X None | Low | | | High | | - Annal | |
| Crop Load | None | Light | X Av | | Heavy | | Commercial | |
| Free Vigour | Weak | X Average | Strong | Tree Habit | | X Uprig | Upright | Spreading |
| Bacterial Spot | X None | Few Few | Many | Smother | 1 | Sec. 1 | 7 | g L specifications |
| Comments & Commercial Comparator | Will go soft quic | ĸ | | | | | Overall Score | 710 7 |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | 1 | 7/10/11 | | Location | C 1 | riverland | |
|--|----------------|------------|----------|-----------------|---------------|------------------|-------------------|
| Evaluator Name | | ason | | Rootstoc | k | Nemaguard | |
| Cultivar | 5 | now Angel | | Variety | s | White peach | |
| Pink Bud | - | /7/11 | | Full Bloo | m | 28/7/11 | |
| 1st Pick | 1 | 7/10/11 | | 2nd Pick | | | |
| Skin Thickness | Thin | X Medium | Thick | Colour Intensit | y 🗌 Dull | X Moderate | Bright |
| Colour Type | Striped | X Solid | Blue | shed | Bi-coloured | | |
| Over Colour | None | Cream | Gre | en | Orange | Yellow | Pink |
| % | Maroon | | | | Dark Red | (E) have | H |
| Background Colour | Cream | Green | | ow/Green | Yellow | | |
| Bruising | Absent | X Light | | derate | Heavy | Skin /10 | 7 |
| Flesh Colour | Cream | | | Yellow | Orange | H TO DE SE OL |] Purple |
| Flesh Texture | 10000 | Green | | | | | |
| Novi Andreas | Hard | Coarse | | 10.000 | Crunchy | Rubbery | Soft |
| Bleeding | Juicy | | | dium | Fine/melting | Flesh /10 | 7 |
| areading. | X None | Aroun | d stone | let skin | Amount | | ľ |
| Ave Fruit Size mm | 64 | | | Brix % | 10 | | |
| Fruit Shape | D Oblong | Ovate | X Rou | inded | Slightly flat | Asymmetric. | Symmetric. |
| Fruit Tip | Large | Flat | | Fruit Indent | Dee | p Flat | Slight |
| Flavour | Acid | Aroma | | inced | Bitter | Bland | X Slightly sweet |
| | Very swe | | | Firmness | Soft | | Hard |
| 100 G | - | 7.4 | | 140.00 | | E31 | |
| Split Stone % | 10 | | | Fruit / | 10 7 | | |
| Russet | X None | Some | 🔲 Maj | ority | | | |
| Russet Position | Calyx en | d 🔲 Cheeks | Complete | e 🔲 Ge | neral 🔲 L | enticel 🗌 Ster | m bowl 📃 Stem end |
| Sunburn | X Absent | 🗌 Light | Mor | derate | Heavy | 1 | |
| Stem Tear | None | X Some | Severe | Cracking | X Non | ie 🗌 Some | Severe |
| Limb Rub | None | X Light | Mo | derate | Heavy | | |
| Cracking | X None | Some | Severe | Preharvest Dro | pp T Evid | lent 🔀 Not Evide | nt |
| Fruiting Habit | Lateral bearer | Semispur | | Uniform Ripen | | ∏ No | |
| Flower Density | None | Light | X Ave | rage | Heavy | Commercial | 1 |
| Fruit Doubles | X None | | | rage | High | | |
| Grop Load | None None | Light | | rage | Heavy | X Commercial | |
| free Vigour | | | | Tree Habit | | Upright | |
| Bacterial Spot | Weak | X Average | | | X Upr | ignt 🔄 spreadin | g Spreading |
| And the second sec | X None | Few | Many | Smothered | Tree /10 | 8 | |
| Comments & Commercial Comparator | | | | - | | Overall Score | 75 ⁷⁵ |



Volume 1, November 2011

Stage 1 Evaluation

| | Jason Super Zee Pass Pass X Pass X Pass Pass Pass X Pass | Root Varie | istock ety X Fail Fail Fail Fail X Fail Fail Fail | Nemaguaro | |
|--|---|---------------|---|------------|---------|
| Split Stone Balanced Taste Russet Cracking Appearance Stem Tear Fruit Doubles Crop Yield Fruit Size mm | Pass Pass Pass Pass Pass Pass Pass Pass | | E Fail Fail Fail Fail Fail Fail Fail Fail | yellow pea | ch |
| Balanced Taste Russet Cracking Appearance Stem Tear Fruit Doubles Crop Yield Fruit Size mm | Pass | Mediu | E Fail | | |
| Russet Cracking Appearance Stem Tear Fruit Doubles Crop Yield Fruit Size mm 56 | Pass Pass Pass Pass Pass Pass Pass Pass | IX Mediu | Fail | | |
| Cracking Appearance Stem Tear Fruit Doubles Crop Yield Fruit Size mm 56 | Pass Pass Pass R Pass Pass Pass | 🔀 Mediu | Fail | | |
| Appearance Stem Tear Fruit Doubles Crop Yield Fruit Size mm 56 | Pass Pass Pass Pass | 🔀 Mediu | 🔀 Fail | | |
| Stem Tear Fruit Doubles Crop Yield Fruit Size mm 56 | Pass | 🔀 Mediu | 🗍 Fail | | |
| Fruit Doubles Crop Yield Fruit Size mm 56 | Pass | 🔀 Mediu | | | |
| Crop Yield Fruit Size mm 56 | | 🔀 Mediu | 🗖 Fail | | |
| Fruit Size mm 56 | High | 🗙 Mediu | | | |
| 1 | | | m | | ow |
| 1 | mm (54-62) | | | | |
| | 7/11 | Full | Bloom 1 | /8/11 | |
| 1st Pick 19/ | 10/11 | | Pick | | |
| Skin Cream | Green | Orange | 1.1 |] Yellow | Pink |
| Maroon | Purple | Red | Þ | Dark Red | |
| Flesh 🗌 Cream | Green | U White | D | Yellow | Orange |
| C Red | Purple | | | | |
| Flavour | Acid | X Low A | Acid | 🗖 s | ub-Acid |
| Brix % 10 | (max 12) | | | | |
| Score/10 5 | | - 2 | | | |
| Progress to Stage 2 | Yes | | X No | | |



Volume 1, November 2011

Stage 1 Evaluation

| Date of Evalua | tion | 19/10/11 | | Location | Riverla | nd | | |
|----------------|------------------|----------|---------|------------|------------|----------|--|--|
| Evaluator Nan | ne | Jason | | Rootstock | Nemag | uard | | |
| Cultivar | - | FTP0717 | | Variety | yellow | peach | | |
| Split Stone | 1 | Pass | | X | Fail | | | |
| Balanced Taste | | 🔀 Pass | | | Fail | | | |
| Russet | | Pass | | | Fail | | | |
| Cracking | | 🔀 Pass | | | Fail | | | |
| Appearance | | Pass | - | X | Fail | | | |
| Stem Tear | | 🔀 Pass | - | Fail | | | | |
| Fruit Doubles | es 🔀 Pass 🗌 Fail | | | | | | | |
| Crop Yield | | 🔀 High | | Medium | I | Low | | |
| Fruit Size mm | 55-60m | im | | 1 | | | | |
| Bloom 10% | 14/7/11 | | | Full Bloom | 3/8/11 | | | |
| 1st Pick | 19/10/1 | 1) | | 2nd Pick | | | | |
| Skin 🔲 Crear | - | Green | 🗌 Orang | lé | T Yellow | 🗖 Pink | | |
| Maro | on | Purple | 🔲 Red | | X Dark Red | | | |
| Flesh 🗌 Crear | n | Green | U White | н. - | X Yellow | 🗌 Orange | | |
| Red Red | 14 X | D Purple | | | | | | |
| Flavour | 1.11 | Acid | X | Low Acid | Ţ | Sub-Acid | | |
| Brix % | 11 (8-1 | 5) | | | | | | |
| Score /10 | 5 | | | | | | | |
| | | | | | No | | | |



Volume 1, November 2011

Stage 1 Evaluation

| Date of Evalua | tion | 20/10/11 | | Location | Riverla | nd |
|--|----------------------|---|---------------------|------------|----------|-----------|
| Evaluator Nam | ie | Jason | | Rootstock | Nemag | uard |
| Cultivar | | FTN107 | | Variety | white r | nectarine |
| Split Stone | | 🔀 Pass | | | Fail | |
| Balanced Taste | 80 - | Pass | | X | Fail | |
| Russet | | Pass | | X | Fail | |
| Cracking | - | Pass | | X | Fail | |
| Appearance | | Pass | | X | Fail | |
| Stem Tear | | X Pass | | | Fail | |
| Fruit Doubles | | X Pass | | | Fail | |
| Crop Yield | | 🔀 High | | Medium | 1 | Low |
| Fruit Size mm | 54mm | (52-56max) | | ľ | | |
| Bloom 10% | 14/7/1 | é. | | Full Bloom | 3/8/11 | |
| 1st Pick | 19/10/ | in. | | 2nd Pick | | |
| Skin 🗌 Crear | n | Green | 🔲 Orang | le | Yellow | D Pink |
| Maro | on | Purple | X Red | | Dark Red | 10 M 10 M |
| Flesh 🗌 Crear | n | Green | X White | | Yellow | 🗌 Orange |
| 🔲 Red | <u></u> | Purple | | _ | | |
| Flavour | | X Acid | | Low Acid | 1 | Sub-Acid |
| Brix % | 14 (10- | 15) | | | | |
| Score /10 | 4 | | | | | |
| Progress to Sta | ige 2 | 🗌 Yes | | X | No | |
| Comments & Commercial Comparator | Crop is o Not end | k for 1st crop ugh data or sound fruit to make | a good judgement at | this stage | | |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | | 23/10/11 | | Location | i | Riverland | |
|--------------------|-------------------|---|--|--------------------|---------------|-----------------------|------------------|
| Evaluator Name | | Jason | | Rootstoc | | Nemared | |
| Cultivar | [| Honey May | | Variety | | Yellow nectarine | |
| PinkBud | | 10/7/11 | | Full Bloor | n | 1/8/11 | |
| 1st Pick | | 23/10/11 | | 2nd Pick | | | |
| 5kin Thickness | Thin | X Medium | Thick | Colour Intensit | y 🗌 Dull | X Moderate | 🔲 Bright |
| Colour Type | Striped | X Solid | E BI | ushed | Bi-coloured | | |
| Over Colour % | None Maroon | Cream | Gr | een xd | Drange | Yellow | Pink |
| lackground Colour | Cream | Green | | llow/Green | X Yellow | - | 3 |
| Bruising | X Absent | | | oderate | Heavy | Skin /10 | 8 |
| Flesh Colour | Cream | Green | White | X Yellow | Orange | Red [| Purple |
| Flesh Texture | Hard | | and the second s | - | | | Soft |
| | X Juicy | Grainy | | edium | Fine/melting | | Cited row. |
| Bleeding | X None | | - | nder skin | Amount | Flesh /10 | 6.5 |
| Ave Fruit Size mm | 60mm | | | Brix % | 9.5 | | |
| Fruit Shape | D Oblong | Ovate | X Re | ounded | Slightly flat | Asymmetric | Symmetric |
| Fruit Tip | Large | Flat | Slight | Fruit Indent | Dec | | X Slight |
| Flavour | Acid | Aroma | | lanced | Bitter | Riand | Slightly sweet |
| | Very sw | - | | Firmness | X Sof | 100 100 | |
| c. 11. c | - | | | Fruit / | | | |
| Split Stone % | 0 | - | | - Province | 10 6 | | |
| Russet | X None | Some | □ M | | | | |
| Russet Position | Calyx e | nd Cheeks | Comple | te 🗌 Ge | neral 🔲 l | enticel Ste | em bowl Stem end |
| Sunburn | X Absent | | | oderate | Heavy | | 100 |
| Stem Tear | X None | Some | Severe | Cracking | X No | ne 🔽 Some | Severe |
| Limb Rub | None None | X Light | | oderate | Heavy | | |
| Cracking | X None | Some | Severe | Preharvest Dro | | | ent |
| Fruiting Habit | Ex Lateral bearer | Semispur | Spur Type | Uniform Ripen | ng X Yes | A REAL PROPERTY. | |
| Flower Density | None None | 🗌 Light | X Av | verage | Heavy | Commercial | |
| Fruit Doubles | X None | Low | | verage | 🔲 High | | |
| Crop Load | None None | 🔲 Light | A1 | | Heavy | X Commercial | |
| Tree Vigour | 🗌 Weak | X Average | Strong | Tree Habit | X Up | ight Dpright spreadir | ng Spreading |
| Bacterial Spot | X None | Tew 🗌 | Many Many | Smothered | Tree /10 | 7 | |
| | | 1 wk -10 daysbefore Ze . Sweet-bitter (this coul | | cool start to harv | est) | Overall Score | /10 7 |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | 2 | 3/10/11 | | Location | 1 · · · · · · · · · · · · · · · · · · · | Riverland | |
|--|-----------------|--------------------------|---|---|---|------------------|--------------------|
| Evaluator Name | 1 | ason | | Rootstoc | k | Colt | |
| Cultivar | E | arlisweet | | Variety | 1 | Cherry | |
| PinkBud | 2 | 0/8/11 | | Full Bloo | m | 10/9/11 | |
| 1st Pick | 1 | 3/10/11 | | 2nd Pick | | | |
| Skin Thickness | Thin | X Medium | Thick | Colour Intensi | y 🗌 Dull | X Moderate | Bright |
| Colour Type | Striped | X Solid | B | ushed | Bi-coloured | | |
| Over Colour | X None | Cream | G | reen | Orange | Yellow | Pink |
| % | Maroon | Purple | | | Dark Red | CHER HAVE | 8 |
| Background Colour | Cream | Green | 1 | ellow/Green | Yellow | | |
| Bruising | X Absent | Light | | oderate | Heavy | Skin /10 | 6 |
| Flesh Colour | Cream | Green | X White | Yellow | | Red T | Purple |
| Flesh Texture | Hard | | Amount . | isp | | Rubbery | |
| a provid | 12000 | | | A AMERICAN AND A AMERICAN AND A AMERICAN AND A AMERICAN AMERICAN AMERICAN AMERICAN AMERICAN AMERICAN AMERICAN A | | | Soft |
| Bleeding | Juicy | | | edium nder skin | Amount 70% | Flesh /10 | 6 |
| Ave Fruit Size mm | 26.5mm | | | Brix % | Amount 70% | | <u> </u> |
| Fruit Shape | Cir.c. | H arris | | | | - | |
| Fruit Tip | Oblong | Ovate | the second se | Fruit Indent | Slightly flat | Asymmetric | Symmetric |
| | Large | Flat | Slight | 100000 | Dee | | Slight |
| Flavour | Acid | Aroma | tic 🗌 Ba | lanced | Bitter | Bland | Slightly sweet |
| | Very swe | eet | | Firmness | X Soft | Medium | Hard |
| Split Stone % | 0 | | | Fruit / | 10 6 | | |
| Russet | X None | Some | M | ajority | | | |
| Russet Position | Calyx en | d 🔲 Cheeks | Comple | ete 🔲 Ge | neral 🔲 L | enticel 🔲 Ste | em bowl 📃 Stem end |
| Sunburn | X Absent | Light | M | oderate | Heavy | | |
| Stem Tear | X None | Some | Severe | Cracking | X Nor | ie 🗌 Some | Severe |
| Limb Rub | X None | Light | Пм | oderate | Heavy | | - |
| Cracking | None | X Some | Severe | Preharvest Dro | | lent 🗙 Not Evid | ent |
| Fruiting Habit | Lateral | Semispur | Spur Type | Uniform Ripen | | ∏ No | |
| lower Density | None | Light | | /erage | Heavy | Commercial | |
| Fruit Doubles | X None | | | /erage | High | | |
| Grop Load | None | X Light | | /erage | Heavy | Commercial | |
| Tree Vigour | Weak | X Average | ☐ Strong | Tree Habit | Upr | inter Upright | Spreading |
| Bacterial Spot | X None | Few | Many | Smothered | | 6 | ig 🖸 spreading |
| Comments & Commercial Comparator | Light crop over | all. Pale skin and flesh | | | Tecters | Overall Score | /10 6 |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | | 3/10/11 | | Location | | Riverland | | | |
|--|---------------|-----------------------|-----------------|----------------|---------------|--|--------------------|--|--|
| Evaluator Name | - | ason | | Rootstoc | k | GF677 | | | |
| Cultivar | ŀ | TN057 | | Variety | | Yellow nectarine | | | |
| PinkBud | | /7/11 | | Full Bloo | m | 4/8/11 | | | |
| 1st Pick | | 3/10/11 | | 2nd Pick | | | | | |
| Skin Thickness | X Thin | Medium | Thick | Colour Intensi | ty 🗌 Dull | X Moderate | Bright | | |
| Colour Type | Striped | X Solid | Пв | lushed | Bi-coloured | | | | |
| Over Colour | None | Cream | | reen ed | Orange | Yellow | Pink | | |
| Background Colour | Cream | Green | XY | ellow/Green | Yellow | a le contra | | | |
| Bruising | X Absent | Light | | loderate | Heavy | Skin /10 | 7 | | |
| Flesh Colour | Cream | Green | White | X Yellow | Orange | Red [| Purple | | |
| Flesh Texture | Hard | Coarse | | risp | X Crunchy | Rubbery | Soft | | |
| | X Juicy | Grainy | /gritty | ledium | Fine/melting | | | | |
| Bleeding | X None | | | nder skin | Amount | Flesh /10 | 6.5 | | |
| Ave Fruit Size mm | 64mm | | | Brix % | 10 | | | | |
| Fruit Shape | D Oblong | Ovate | ∏ R | ounded | Slightly flat | Asymmetric: | Symmetric. | | |
| Fruit Tip | Large | Flat | Slight | Fruit Indent | Dee | | Slight | | |
| Flavour | Acid | Aroma | | alanced | Bitter | Bland | Slightly sweet | | |
| | Very sw | | | Firmness | Soft | | | | |
| Split Stone % | up to 10% | v | | Fruit / | 10 6 | | 0.000.11 | | |
| Russet | None | X Some | | lajority | - | | | | |
| Russet Position | X Calyxer | | Compl | | eneral 🗖 L | enticel 🔲 St | em bowl 🔲 Stem end | | |
| Sunburn | X Absent | Light | | loderate | Heavy | | | | |
| Stem Tear | X None | Some | Severe | Cracking | X Nor | ie 🔲 Some | Severe | | |
| imb Rub | None | X Light | | loderate | Heavy | | | | |
| Cracking | X None | Some | Severe | Preharvest Dre | | lent 🔀 Not Evid | dent | | |
| Fruiting Habit | Lateral | Semispur | Spur Type | Uniform Riper | | ∏ No | | | |
| Flower Density | None | Light | America a state | verage | Heavy | | | | |
| Fruit Doubles | X None | Low | | verage | High | and a second sec | | | |
| Crop Load | None | Light | | verage | Heavy | Commercial | | | |
| free Vigour | Weak | Average | X Strong | Tree Habit | X Upr | Upright | C Constitue | | |
| Bacterial Spot | X None | E Few | Many | Smothered | 1 | 7 | ng Luistering | | |
| Comments & Commercial Comparator | Comparator is | Honey May or 1 wk bef | ore Zee Fire | | | Overall Score | | | |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | 27/10/11 Location Riverland | | | | | | | |
|--|-----------------------------|-------------------------|----------------|--------------|---------|----------|--------------------------|-----------------|
| Evaluator Name | | ason | | Rootsto | xk | | Nemaguard | |
| Cultivar | s | pring Fire | | Variety | 9 | -11 | yellow nectarine | |
| Pink Bud | 2 | 26/7/11 | | Full Blo | om | | 1/8/11 | |
| 1st Pick | 2 | 27/10/11 | - | 2nd Pic | k | | | |
| Skin Thickness | Thin | X Medium | Thick | Colour Inten | sity [| Dull | X Moderate | Bright |
| Colour Type | Striped | X Solid | ∏ BI | ushed | E Bi-co | loured | | |
| Over Colour | X None | Cream | | reen | □ Oran | ge | Yellow | Pink |
| 16 | Maroon | Purple | □ Be | ed | Dark | Red | - | 100 million |
| ackground Colour | Cream | Green | | llow/Green | X Yello | | 1 | |
| iruising | X Absent | Light | | oderate | Heav | _ | Skin /10 | 7 |
| lesh Colour | Cream | Green | White | X Yellow | | | |] Purple |
| lesh Texture | Hard | 1000 | | | Crun | | | Soft |
| | 2 | Coarse | | | | | Rubbery | L Sort |
| Bleeding | Juicy | Grainy | | edium | Eine/ | _ | Flesh /10 | 7 |
| | None None | Aroun | d stone 🗶 U | nder skin | Amount | 40% | | r- |
| Ave Fruit Size mm | 58mm (ma | ax 60mm) | | Brix % | | 7.5avg | (7-9) | |
| ruit Shape | D Oblong | Ovate | × Re | ounded | Sligh | tly flat | Asymmetric | Symmetric |
| ruit Tip | Large | X Flat | Slight | Fruit Indent | | Deep | Flat | Slight |
| lavour | X Acid | Aroma | tic 🔲 Ba | lanced | Bitter | | Bland | Slightly sweet |
| | Very swe | eet | | Firmness | - | Soft | X Medium | Hard |
| iplit Stone % | 0% open, s | some closed. | | Fruit | /10 | 7 | | |
| lusset | None | X Some | Пм | ajority | | | | |
| usset Position | X Calyx en | | Comple | te 🔲 🤇 | Seneral | ΠLe | nticel Ste | m bowl Stem end |
| unburn | X Absent | Light | | oderate | Heav | - | | P |
| item Tear | X None | Some | Severe | Cracking | | × None | some | 5evere |
| imb Rub | X None | | | oderate | Heav | 17.0 | Шалие | (III) mann |
| Tracking | X None | | Severe | Preharvest D | - | Fvide | ent 🗙 Not Evid | ant |
| ruiting Habit | Lateral bearer | | Spur Type | Uniform Ripe | ening | - | Banal . | SUR. |
| lower Density | | Semispur | spur type | internet. | | X Yes | No | |
| ruit Doubles | None None | Light | | 0.46 | Heav | | Commercial | 1 |
| rop Load | X None | Low | | /erage | High | _ | | |
| Free Vigour | None | Light | | Tree Habit | Heav | | Commercial | |
| | Weak. | X Average | Strong | 1 | - 11 - | X Uprig | ght Dypright spreadin | ig Spreading |
| Bacterial Spot | X None | Eew Few | Many Many | Smother | ed Tree | /10 | 7 | |
| Comments & Commercial Comparator | strong bleedin | g with acid taste. Only | 2nd leaf tree. | | 1535 | | Overall Score | /10 7 |



Volume 1, November 2011

Stage 1 Evaluation

| Date of Funktort | | | | | | | | |
|--------------------|---------------------|----------|-----------|------------|-----------|-----------|--|--|
| Date of Evaluation | | 28/10/11 | | Location | Riverland | Riverland | | |
| Evaluator Name | e | Jason | Rootstock | | Nemaguard | Nemaguard | | |
| Cultivar | ultivar FTIA094 | | | Variety | | ot | | |
| Split Stone | t Stone 🔀 Pass | | | E Fail | | | | |
| Balanced Taste | 1 | Pass | | X | Fail | | | |
| Russet | | X Pass | | | Fail | | | |
| Cracking Rass | | | | | Fail | | | |
| Appearance | Appearance 🔀 Pass | | | | Fail | | | |
| Stem Tear | item Tear 🔀 Pass | | | Π | Fail | | | |
| Fruit Doubles | es 🗙 Pass | | | 🔲 Fail | | | | |
| Crop Yield | p Yield 🔲 High | | 🔀 Medium | | Low | | | |
| Fruit Size mm | 50mm (| 47-50) | | 1 | | | | |
| Bloom 10% | 1/8/11 | | | Full Bloom | 25/8/11 | | | |
| 1st Pick | 28/10/1 | 1 | | 2nd Pick | 1 | | | |
| Skin 🔲 Cream | kin 🗌 Cream 🔲 Green | | 🔀 Orang | le | Yellow | 🔲 Pink | | |
| Flesh 🔲 Cream | i | Green | 🗌 White | - | X Yellow | C Orange | | |
| Flavour 🔀 Acid | | | Low Acid | □ s | ub-Acid | | | |
| Brix % | 9 | | | | | | | |
| Score /10 | 4 | | | | | | | |
| Progress to Sta | ress to Stage 2 | | | | X No | | | |



Volume 1, November 2011

Stage 1 Evaluation

| Date of Evalua | tion | 29/10/11 | | Location | Riverland | |
|----------------|----------|----------|---------|------------|-------------|----------|
| Evaluator Nam | e | Jason | | Rootstock | Nemaguard | 1 |
| Cultivar | | FTP0910 | | Variety | Yellow pear | ch |
| Split Stone | | Pass | | | Fail | |
| Balanced Taste | 0 | Pass | | | Fail | |
| Russet | | Pass | | | Fail | |
| Cracking | | Pass | | | Fail | |
| Appearance | | Pass | | X | Fail | |
| Stem Tear | | Pass | | | Fail | |
| Fruit Doubles | 1 | Pass | | | Fail | |
| Crop Yield | | X High | | Medium | Пr | ow |
| Fruit Size mm | 58mm | 2 | | 1 | 1.00 | |
| Bloom 10% | 26/7/11 | | | Full Bloom | 13/8/11 | |
| 1st Pick | 29/10/1 | 1 | | 2nd Pick | | |
| Skin 🔲 Crean | | Green | 🔲 Orang | je | Yellow | 🗌 Pink |
| Flesh 🔲 Crean | | Green | White | • | X Yellow | 🔲 Orange |
| 🖸 Red | 1.1 | Purple | | | 1.1.1.1.1 | |
| Flavour | | Acid | , E | Low Acid | XS | ub-Acid |
| Brix % | 8 (8/10) | | | | | |
| Score/10 | 5/10 | | | L | | |
| | ige 2 | T Yes | | | No | |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | | 1/11/11 | | | Z 1 | Riverland | | |
|--|-----------------|----------------|---------------------|------------------|---------------|-------------------------------------|----------------------|--|
| Evaluator Name | fa | son | | Rootstoc | k. | Nemaguard | | |
| Cultivar | E | FN0420 | | Variety | 1 | yellow nectarine | | |
| PinkBud | ĺ | 27/11 | Full Bloor | n | 4/8/11 | | | |
| 1st Pick | ν | 11/11 | | 2nd Pick | in a state | | | |
| Skin Thickness | X Thin | Medium | Thick | Colour Intensit | y 🗌 Dull | Moderate | X Bright | |
| Colour Type | Striped | Solid | X Blu | shed | Bi-coloured | | | |
| Over Colour | None Maroon | Cream | Gre | en | Orange | Yellow | Pink | |
| Background Colour | Cream | Green | ☐ Yel | ow/Green | X Yellow | | - | |
| Bruising | | X Absent Light | | Moderate Heavy | | Skin /10 | 7 | |
| Flesh Colour | Cream | Green | | X Yellow | Orange | Red [| Purple | |
| Flesh Texture | Hard | Coarse | Cris | .p | Crunchy | Rubbery | Soft | |
| Bleeding | U Juicy | Grainy | | dium der skin | Fine/melting | Flesh /10 | 7 | |
| Ave Fruit Size mm | 64mm (62- | 65) | | Brix % | 9.5 (8 | -10) | | |
| Fruit Shape | Oblong | X Ovate | T Rou | inded | Slightly flat | Asymmetric. | Symmetric. | |
| Fruit Tip | Large | Flat | - | Fruit Indent | Dee | | Slight. | |
| Flavour | X Acid | Aroma | | anced | Bitter | Bland | Slightly sweet | |
| 1. A | Very swe | | | Firmness | Soft | | | |
| Split Stone % | 0 | | | Fruit/ | 10 7 | | | |
| Russet | X None | Some | Maj | ority | | | | |
| Russet Position | Calyx end | i 🚺 Cheeks | Complet | e 🔲 Ge | neral 🔲 L | enticel 🔲 Sto | em bowl 🛛 🗌 Stem end | |
| Sunburn | X Absent | 🔲 Light | Mo | derate | Heavy | | | |
| Stem Tear | X None | Some | Severe | Cracking | X Nor | ne 🔲 Some | Severe | |
| Limb Rub | X None | Light | Mo | derate | Heavy | | | |
| Cracking | X None | Some | Severe | Preharvest Dro | | lent 🗙 Not Evid | lent | |
| Fruiting Habit | Lateral bearer | Semispur | Spur Type | Uniform Ripen | ing X Yes | a construction of the second second | | |
| Flower Density | None | Light | Planet A to Average | rage | Heavy | Commercial | | |
| Fruit Doubles | X None | Low | | erage | High | | | |
| Crop Load | None | Light | | rage | Heavy | Commercial | | |
| Free Vigour | Weak | X Average | | Tree Habit | X Upr | Undaht | Spreading | |
| Bacterial Spot | X None | E Few | Many | Smothered | 1 | 8 | ng — · · · · · · | |
| Comments & Commercial Comparator | Comparator is Z | ee Fité | | | | Overall Score | | |



Volume 1, November 2011

Stage 2 Evaluation

| Date of Evaluation | 2/1 | 1/11 | | Location | C 1 | Riverland | |
|--|-------------------|-----------|--------------------|------------------|---------------|------------------------|-------------------|
| Evaluator Name | Jas | an | | Rootstock | ¢. | Nemaguard | |
| Cultivar | Zee | Fire | | Variety | i | yellow nectarine | |
| Pink Bud | 12/ | 7/11 | | Full Bloon | n | 4/8/11 | |
| 1st Pick | 2/1 | 1/11 | | 2nd Pick | | | |
| Skin Thickness | Thin | X Medium | Thick | Colour Intensity | Dull | X Moderate | Bright |
| Colour Type | Striped | Solid | X Blu | ished | Bi-coloured | | |
| Over Colour % 60% | None Maroon | Cream | | | Orange | Yellow: | Pink |
| Background Colour | Cream | Green | X Ye | low/Green | Yellow | 1 | |
| Bruising | X Absent | Light | | derate | Heavy | Skin /10 | 7 |
| Flesh Colour | Cream | Green | White | X Yellow | Orange | Red [|] Purple |
| Flesh Texture | Hard | Coarse | Annual Contraction | house. | Crunchy | Rubbery | Soft |
| | X Juicy | Grainy. | /gritty 🔲 Me | dium | Fine/melting | | r |
| Bleeding | X None | Around | d stone 🛛 🗌 Un | der skin | Amount | Flesh /10 | |
| Ave Fruit Size mm | 64mm (62-7 | 0) | | Brix % | 10.5 (| 9-12) | |
| Fruit Shape | X Oblong | Ovate | Ro | unded | Slightly flat | Asymmetric. | Symmetric |
| Fruit Tip | Large | Flat | Slight | Fruit Indent | Dee | p 🔲 Flat | Slight |
| Flavour | X Acid | Aroma | tic 🗌 Bal | anced | Bitter | Bland | Slightly sweet |
| n. ára | Very sweet | | | Firmness | Soft | Medium | Hard |
| Split Stone % | 2-5% | | | Fruit /1 | 10 7 | | |
| Russet | None | X Some | Ma | jority | | | |
| Russet Position | X Calyx end | Cheeks | Complet | e 🔲 Ger | neral 🔲 L | enticel 🔲 Ste | m bowl 📄 Stem end |
| Sunburn | X Absent | 🗌 Light | Mc | derate | Heavy | 1 | |
| Stem Tear | X None | Some | Severe | Cracking | X Nor | ie 🗌 Some | Severe |
| Limb Rub | None None | X Light | Mc | derate | Heavy | | |
| Cracking | X None | Some | Severe | Preharvest Dro | P Evid | lent 🔀 Not Evid | ent |
| Fruiting Habit | Lateral bearer | Semispur | Spur Type | Uniform Ripeni | ng 🗙 Yes | No No | |
| Flower Density | None None | Light | Av | erage | X Heavy | Commercial | 1 |
| Fruit Doubles | X None | Low | AV | erage | 🔲 High | | |
| Crop Load | None None | Light | Av | erage | X Heavy | Commercial | |
| Free Vigour | U Weak | X Average | Strong | Tree Habit | X Upr | ight Dpright spreading | g Spreading |
| Bacterial Spot | X None | E Few | Many | Smothered | Tree /10 | 8 | |
| Comments & Commercial Comparator | Acid is noticable | | | | | Overall Score | /10 7 |



Volume 1, November 2011

Stage 1 Evaluation

| Date of Evalua | tion | 3/11/11 | | Location | 'Riverlan | ď | |
|-------------------|--|---------|---------|------------|-----------|----------------|--|
| Evaluator Nan | ne | Jason | | Rootstock | Nemagu | ard | |
| Cultivar | 1 | FTN0910 | | Variety | | | |
| Split Stone | | X Pass | | E Fail | | | |
| Balanced Taste | Taste 🗌 Pass | | | X | Fail | | |
| Russet | sset 🔀 Pass | | | | Fail | | |
| Cracking | sing 🗙 Pass | | | | Fail | | |
| Appearance | opearance Pass | | | | Fail | | |
| Stem Tear | | | | Π | Fail | | |
| Fruit Doubles | The second secon | | | E Fail | | | |
| Crop Yield | | | X | X Medium | | Low | |
| Fruit Size mm | 59 | | | 1 | | | |
| Bloom 10% | 16/7/11 | 6 | | Full Bloom | 3/8/11 | | |
| 1st Pick | 3/11/11 | a | | 2nd Pick | | | |
| Skin 📄 Crear | | 🗌 Green | 🗌 Orang | je I | Yellow | 🔲 Pink | |
| Flesh 🔲 Crear | n | Green | 🔲 White | • | X Yellow | C Orange | |
| Red | | Purple | | Loui Astal | | 1 Public Antal | |
| Class a tra | | Acid | | Low Acid | X | Sub-Acid | |
| Flavour | 10. | | | | | | |
| Flavour Brix % | 9 | | | 1 | | | |
| and an | 9 4 | | | | | | |