

Graham's FacTree Vol 2 December 2010



Welcome to the second edition of The Evaluation Facts, a regular newsletter keeping you in touch with the latest cultivar evaluation information, from the cultivar evaluation program being coordinated by Graham's Factree.

Well, with a late start and wide spread rainfall causing damage across most growing regions the stone fruit season, so far, is proving to be a difficult one to say the least. We all have our fingers crossed that the weather improves and growers can start having a bit more success this summer.

As you might now be aware Grahams Factree, in conjunction with Horticulture Australia Limited ('HAL'), are in the process of developing a country wide regional evaluation program for stone fruit.

Here at Factree we are pleased to say that, with a number of evaluations now available to growers and a mostly positive response from industry, the Evaluation Project is off to a good start. After visits from Graham and Lisa we have been presented with several verbal commitments from local associations in respect to developing stage 2 or secondary regional sites for the project.

The regional visits 'roadshow' launching the project will continue throughout the summer and we look forward to meeting with local growers in a number of regions. We encourage any growers interested in the project to contact either Graham or Lisa at Factree or their local grower associations.

In this week's edition of 'The Evaluation Facts' you will find all the latest cultivar evaluation information from the project's stone fruit primary site located at Renmark. Please do not hesitate to contact Graham's Factree to discuss any of the following or commercially available cultivars.

This project is funded by HAL through voluntary contributions from Graham's Factree Pty Ltd with matched funds from the Australian Government.



Contact us: PH: (03) 9999 1999 FAX (03) 5967 4645

www.factree.com.au or Email: mail@factree.com.au 160 Thonemans Road Hoddles Creek VIC 3139

IMPORTANT NOTICE - DISCLAIMER

Graham's Factree Pty Ltd and our officers and employees together with anyone associated with the cultivar evaluation program in any way ('We'), provide the information in this newsletter as a guide only. We do not warrant or represent that the

information provided in this newsletter is free from errors or omissions or is suitable for your intended use

Subject to any terms implied by law which cannot be excluded, we disclaim all liability for any harm, loss or damage, including but not limited to any loss or damage caused by pests, diseases and/or viruses, or caused or resulting from your use of or reliance on any of the information provided in this newsletter.

We strongly recommend that you obtain independent advice before you make any decisions in reliance on this newsletter.

Specifically you should make and rely on your own enquiries in relation to any district performance, cropping ability, pollination or any other aspect of the cultivars and/or rootstock mentioned in this newsletter.

Our liability for a breach of a condition or warranty implied by law and which cannot be excluded, is limited to the extent possible, at our option, to:

the supply of the relevant replacement trees, or equivalent trees; or the payment of the cost of the replacement trees, or equivalent trees

We will in no event be liable for any loss of profits or other loss or damage whatsoever.



'The Facts'

Keeping you in touch with information from Graham's FacTree

Vol 2 December 2010





'Royal Ruby' (D Nectarine Stage 2 Evaluation page 5

PBR(D)
Unauthorised commercial propagation or sale, conditioning, export, import or stocking of propagating material of this variety is an infringement under the Natural Plant Breeder's Rights Ad 1994



'FTN057' Nectarine Stage 2 Evaluation page 7



'FTP058' Peach Stage 2 Evaluaion page 9



'FTIA053' Int. Apricot Stage 2 Evaluation page 6



'FTN0414' Nectarine Stage 2 Evaluaion page 8



'Wescot' (1) Apricot Stage 2 Evaluation page 10

PBR() Unauthorised commercial propagation or sale, conditioning, export, import or stocking of propagating material of this variety is an infringement under the Plant Brueley's Rights /at 1992.



'The Facts'

Keeping you in touch with information from Graham's FacTree

Vol 2 December 2010





'FTN0420' Nectarine Stage 2 Evaluation page 11



'FTP0414' Peach Stage 2 Evaluation page 12



'FTN0422' Nectarine Stage 1 Evaluation page 13



'FTP0119' Peach Stage 2 Evaluation page 14



'FTN0416' Nectarine Stage 2 Evaluation page 15



'FTP0213' Peach Stage 2 Evaluation page 16



'The Facts'

Keeping you in touch with information from Graham's FacTree

Vol 2 December 2010





'Flavor Royale' (D Stage 2 Evaluation page 17

PBR() Unauthorised commercial propagation or sale, conditioning, export, import or stocking of propagating material of this variety is an infringement under the Australia Plant Breder's Rights, Adr 1994



'Brooks' Cherry Stage 2 Evaluation page 18



'Spring Flavor' (D Stage 1 Evaluation page 19

PBR(b) Unauthorised commercial propagation or sale, conditioning, export, import or stocking of propagating material of this variety is an infringement under the



'FTN022' Nectarine Stage 2 Evaluation page 20



'FTA053' Apricot Stage 1 Evaluation page 21



'FTN059' Nectarine Stage 2 Evaluation page 22

| Date of evaluation | 10/11/2010 | Cultivar Variety | Royal Ruby |
|--------------------|---------------------------------------|--|-------------------------|
| Location | | Evaluator name | |
| Bloom 10% | | Full Bloom | 7/8/2010 |
| 1st Pick | 10/11/10 | Last Pick | |
| Skin Thickness | ☐Thin ✓ Medium | Thick | |
| Colour type | ☐Striped ✓ Solid | ☐Blushed | ☐ Bi-coloured |
| Over Colour | | Green □Orange □ Purple ☑Red □ |]Yellow]Dark Red |
| Background Colour | □Cream □Green | ✓ Yellow/green | ✓ Yellow |
| Colour Intensity | ☐Dull ☐ Modera | te 🗸 Bright | |
| Bruising | ✓ Absent □Light | ☐Moderate | Heavy |
| Flesh colour | □Cream □Green □ Red □Purple | White Yellow | Orange |
| Flesh Texture | ☐Hard ☐Coarse ☐ | | Rubbery Fine/melting |
| Bleeding | ✓None ☐Around sto | ne Under skin | Amount |
| Ave Fruit Size mm | 64 | Brix | 8.5 |
| Fruit Shape | | Rounded Slightly | flat |
| Fruit tip | ☐Large ✓ Flat | Fruit indent | □ Deep |
| Flavour | Acid Aromatic Bland Slightly | ✓ Balanced ☐ Bitter sweet ☐ Very s | |
| Firmness | ☐Soft ☐ Medium | □Hard | |
| Stone | Split% | Cling Semi | -cling Free |
| Russet | ✓ None Some | Majority | |
| Russet Position | ☐ Calyx end ☐ Cheeks☐ Lenticel ☐ Stem | ☐ Complete ☐ Genera bowl ☐ Stem end | 1 |
| Sunburn | ✓Absent Light | ☐ Moderate | Heavy |
| Stem Tare | ✓ None Some | Severe | |
| Limb Rub | ✓ None Light | ☐ Moderate | Heavy |
| Cracking | ✓ None Some | Severe | |
| PreHarvest drop | ■Evident ✓ Not E | vident | |
| Fruiting Habit | ✓Lateral bearer | Semispur Spur t | уре |
| Flower Density | ■None ■Light | ✓ Average | ☐Heavy |
| Fruit Doubles | ✓ None | ge 🔲 High | |
| Crop load | ■None ■Light | ☐ Average | ✓ Heavy |
| Uniform Ripening | ✓Yes No | | |
| Tree Vigour | ☐Weak ☐ Avera | <u> </u> | |
| Tree Habit | ✓Upright □Uprig | ht spreading $lacksquare$ Spread | ing |
| Bacterial Spot | ✓ None | ☐ Many | ☐ Smothered |
| Comments | | | |

| Date of evaluation | 12/11/10 | Cultivar Variety | FTIA053 |
|--------------------|---------------------------------------|-------------------------------------|-----------------------------|
| Location | Riverland | Evaluator name | Jason |
| Bloom 10% | | Full Bloom | 26/8/10 |
| 1st Pick | 12/11/2010 | Last Pick | |
| Skin Thickness | ☐Thin ✓ Medium | Thick | • |
| Colour type | StripedSolid | ■Blushed | ☐ Bi-coloured |
| Over Colour | | |]Yellow]Dark Red |
| Background Colour | □Cream □Green | ☐Yellow/green | Yellow |
| Colour Intensity | ☐Dull ☐Modera | te 🔽 Bright | |
| Bruising | ✓ Absent □Light | Moderate | Heavy |
| Flesh colour | ☐Cream ☐Green ☐ Red ☐Purple | ■White ■Yellow ■ | √ Orange |
| Flesh Texture | ✓Hard □Coarse □ Soft ✓Grainy/gri | | Rubbery Fine/melting |
| Bleeding | ✓ None ☐ Around sto | ne Under skin | Amount |
| Ave Fruit Size mm | 51-54 | Brix | 10-15, 14 avg |
| Fruit Shape | | Rounded Slightly | flat |
| Fruit tip | ☐Large ☑Flat | Fruit indent | _ Deep ✓ Flat |
| Flavour | ✓Acid | ☐ Balanced ☐ Bitter sweet ☐ Very so | weet |
| Firmness | ■Soft ■ Medium | √ Hard | |
| Stone | Split% | Cling Semi- | -cling |
| Russet | ✓None Some | ■ Majority | |
| Russet Position | ☐Calyx end ☐ Cheeks☐Lenticel ☐ Stem 1 | ☐ Complete ☐ Genera bowl ☐ Stem end | 1 |
| Sunburn | ✓Absent Light | ☐ Moderate | Heavy |
| Stem Tare | None ✓ Some | Severe | |
| Limb Rub | None ✓ Light | ☐ Moderate | Heavy |
| Cracking | ✓None Some | Severe | |
| PreHarvest drop | ■Evident ✓ Not E | vident | |
| Fruiting Habit | ☐Lateral bearer ✓ | Semispur Spur t | уре |
| Flower Density | □None □Light | ✓ Average | ☐ Heavy |
| Fruit Doubles | ✓ None | ge 🔲 High | |
| Crop load | ■None ■Light | ☐ Average | ✓ Heavy |
| Uniform Ripening | ✓Yes No | | |
| Tree Vigour | Weak ✓ Avera | ge 🔲 Strong | |
| Tree Habit | | ht spreading 🔽 Spread | _ |
| Bacterial Spot | ✓ None | Many | ☐ Smothered |
| Comments | | | |

| Date of evaluation | 12/11/10 | Cultivar Variety | FTN057 |
|--------------------|--------------------------------------|--|-------------------------|
| Location | Riverland | Evaluator name | Jason |
| Bloom 10% | | Full Bloom | 7/8/2010 |
| 1st Pick | 12/11/2010 | Last Pick | |
| Skin Thickness | | Thick | |
| Colour type | Striped 🗸 Solid | ☐Blushed | Bi-coloured |
| Over Colour | | |]Yellow]Dark Red |
| Background Colour | ☐Cream ☐Green | ☐ Yellow/green | ✓ Yellow |
| Colour Intensity | ☐Dull ✓ Modera | te 🔲 Bright | |
| Bruising | ☐Absent ✓ Light | ☐Moderate | Heavy |
| Flesh colour | ☐Cream ☐Green ☐ Red ☐Purple | White Yellow | Orange |
| Flesh Texture | ☐Hard ☐Coarse ☐ ☐Soft ☐Grainy/gri | | Rubbery Fine/melting |
| Bleeding | ✓None | ne Under skin | Amount |
| Ave Fruit Size mm | 62-64, max 70 | Brix | 9-11 |
| Fruit Shape | _ | Rounded Slightly | flat |
| Fruit tip | ■Large Flat | Fruit indent | Deep ✓ Flat |
| Flavour | Acid Aromatic Bland Slightly | | weet |
| Firmness | Soft ✓ Medium | □Hard | |
| Stone | Split% | ✓Cling | -cling Free |
| Russet | ■None ✓ Some | ☐ Majority | |
| Russet Position | ✓Calyx end ☐Cheeks ☐Lenticel ☐Stem | ☐ Complete ☐ Genera bowl ☐ Stem end | 1 |
| Sunburn | ✓Absent Light | ☐ Moderate | Heavy |
| Stem Tare | ✓None Some | Severe | |
| Limb Rub | ■None ✓Light | ☐ Moderate | Heavy |
| Cracking | ✓None Some | Severe | |
| PreHarvest drop | ■Evident ✓ Not E | vident | |
| Fruiting Habit | ✓Lateral bearer | Semispur ☐Spur t | уре |
| Flower Density | □None □Light | ✓ Average | ☐ Heavy |
| Fruit Doubles | ✓ None | ge 🔲 High | |
| Crop load | ■None ■Light | ✓ Average | ✓ Heavy |
| Uniform Ripening | ✓Yes | | |
| Tree Vigour | Weak ✓ Avera | ge 🗸 Strong | |
| Tree Habit | ✓Upright □Uprig | ht spreading $lacksquare$ Spread | ing |
| Bacterial Spot | ✓ None Few | ☐ Many | ☐ Smothered |
| Comments | | | |

| Date of evaluation | | Cultivar | FTN0414 |
|--------------------|--------------------------------------|---|--------------------------|
| | 10/11/10 | Variety | 11110414 |
| Location | riverland | Evaluator name | jason |
| Bloom 10% | | Full Bloom | 7/8/2010 |
| 1st Pick | 10/11/2010 | Last Pick | |
| Skin Thickness | ☐Thin ☐ Medium | ✓ Thick | |
| Colour type | ☐Striped ☐ Solid | ✓ Blushed | ☐Bi-coloured |
| Over Colour | | |]Yellow]Dark Red |
| Background Colour | ✓Cream ✓Green | Yellow/green | Yellow |
| Colour Intensity | Dull ✓ Modera | te Bright | |
| Bruising | ■Absent ✓ Light | ☐Moderate | Heavy |
| Flesh colour | ☑Cream ☐Green ☐ Red ☐Purple | ■White ■Yellow ■ | □ Orange |
| Flesh Texture | ☐Hard ☐Coarse ☐ | | Rubbery ☐Fine/melting |
| Bleeding | | ne Under skin | Amount |
| Ave Fruit Size mm | 62 | Brix | 10 |
| Fruit Shape | _ | Rounded Slightly | flat |
| Fruit tip | ✓Large ☐Flat | Fruit indent | □Deep □Flat |
| Flavour | ✓Acid | <pre>Balanced ☐Bitter sweet ☐Very state</pre> | weet |
| Firmness | ■Soft ✓ Medium | □Hard | |
| Stone | Split% | Cling Semi- | -cling Free |
| Russet | □None ✓ Some | ☐ Majority | |
| Russet Position | ✓Calyx end ☐Cheeks ☐Lenticel ☐Stem] | ☐ Complete ☐ Genera bowl ☐ Stem end | 1 |
| Sunburn | ✓Absent Light | ☐ Moderate | Heavy |
| Stem Tare | ✓None Some | Severe | |
| Limb Rub | ■None ✓ Light | ☐ Moderate | Heavy |
| Cracking | ✓None Some | Severe | |
| PreHarvest drop | ■Evident ✓ Not E | vident | |
| Fruiting Habit | ✓Lateral bearer | Semispur Spur t | уре |
| Flower Density | □None □Light | ☐ Average | √ Heavy |
| Fruit Doubles | ✓ None | ge 🔲 High | |
| Crop load | NoneLight | ☐ Average | ✓Heavy |
| Uniform Ripening | ✓Yes No | | |
| Tree Vigour | Weak ✓ Avera | ge 🔲 Strong | |
| Tree Habit | | ht spreading \square Spread | ing |
| Bacterial Spot | ✓None | ☐ Many | ☐ Smothered |
| Comments | | | |

| | | In 1.1 | |
|--------------------|-------------------------------------|---------------------------------|----------------|
| Date of evaluation | 14/11/2010 | Cultivar Variety | FTP058 |
| Location | Diversional | Evaluator name | laaa. |
| | Riverland | | Jason |
| Bloom 10% | | Full Bloom | 5/9/10 |
| 1st Pick | 14/11/10 | Last Pick | |
| Skin Thickness | ☐Thin ✓ Medium | Thick | • |
| Colour type | ☐Striped ☐ Solid | ✓ Blushed | ☐Bi-coloured |
| Over Colour | ☐None ☐Cream ☐ | Green Orange | Yellow |
| | | Purple 🗸 Red | Dark Red |
| Background Colour | □Cream □Green | | ✓ Yellow |
| Colour Intensity | ☐Dull ✓ Modera | | |
| Bruising | ✓Absent ☐Light | | Heavy |
| Flesh colour | □Cream □Green [☑Red □Purple | White ✓Yellow | □Orange |
| Flesh Texture | <u> </u> | | Rubbery |
| D1 1' | ☐Soft ☐Grainy/gri | tty | Fine/melting |
| Bleeding | ☐None ☐Around sto | ne 🔽 Under skin | Amount 10-30% |
| Ave Fruit Size mm | 63-67, 65avg | Brix | 8-11, 9 avg |
| Fruit Shape | | Rounded Slightly | flat |
| Fruit tip | ✓Large ✓Flat | Fruit indent | Deep √ Flat |
| Flavour | Acid Aromatic Bland Slightly | ✓ Balanced Bitter sweet □Very s | weet |
| Firmness | Soft ✓ Medium | □Hard | |
| Stone | Split% | Cling Semi | -cling Free |
| Russet | ✓None Some | ☐ Majority | |
| Russet Position | ☐Calyx end ☐ Cheeks☐Lenticel ☐ Stem | Complete Genera | 1 |
| Sunburn | ✓Absent Light | Moderate | Heavy |
| Stem Tare | ✓None Some | Severe | |
| Limb Rub | ■None ✓ Light | ☐ Moderate | Heavy |
| Cracking | ✓None Some | Severe | |
| PreHarvest drop | ■Evident ✓ Not E | vident | |
| Fruiting Habit | ✓Lateral bearer | Semispur ☐Spur t | уре |
| Flower Density | ☐None ☐Light | . Average | ☐ Heavy |
| Fruit Doubles | ✓None | ge 🔲 High | |
| Crop load | ■None ■Light | ✓ Average | ☐ Heavy |
| Uniform Ripening | ✓Yes | | |
| Tree Vigour | Weak ✓ Avera | ge 🔲 Strong | |
| Tree Habit | ✓ Upright □Uprig | ht spreading \square Spread | ing |
| Bacterial Spot | ✓ None | Many | ☐ Smothered |
| Comments | a small tip | | |

| D. L. C 1 | | Cultivar | |
|--------------------|--------------------------------------|-------------------------------------|--------------------------|
| Date of evaluation | 20/11/2010 | Variety | Wescot |
| Location | Riverland | Evaluator name | Jason |
| Bloom 10% | | Full Bloom | 16/9/2010 |
| 1st Pick | 20/11/10 | Last Pick | |
| Skin Thickness | ☐Thin ✓ Medium | Thick | |
| Colour type | ☐Striped ✓ Solid | ✓ Blushed | ☐Bi-coloured |
| Over Colour | Pink Maroon | Green Orange Durple Red |]Yellow]Dark Red |
| Background Colour | □Cream □Green | ☐ Yellow/green | ✓ Yellow |
| Colour Intensity | ☐Dull ☐Modera | te ✓Bright | |
| Bruising | ☐Absent ✓ Light | ☐Moderate | Heavy |
| Flesh colour | □Cream □Green □ □Red □Purple | ■White ■Yellow ■ | ✓ Orange |
| Flesh Texture | ✓Hard □Coarse □ □Soft □Grainy/gri | | Rubbery ☐Fine/melting |
| Bleeding | ✓None Around sto | ne Under skin | Amount |
| Ave Fruit Size mm | 55 | Brix | 12 |
| Fruit Shape | | Rounded Slightly | flat |
| Fruit tip | ☐Large ☑Flat | Fruit indent | Deep ✓ Flat |
| Flavour | Acid Aromatic Bland Slightly | | weet |
| Firmness | Soft ✓ Medium | √Hard | |
| Stone | Split% | Cling Semi | -cling |
| Russet | ✓None Some | ■ Majority | |
| Russet Position | ☐Calyx end ☐ Cheeks☐Lenticel ☐ Stem | ☐ Complete ☐ Genera bowl ☐ Stem end | 1 |
| Sunburn | ✓Absent Light | ☐ Moderate | Heavy |
| Stem Tare | ✓None Some | Severe | |
| Limb Rub | ■None ■Light | ☐ Moderate | Heavy |
| Cracking | ✓ None Some | Severe | |
| PreHarvest drop | ■Evident ✓ Not E | vident | |
| Fruiting Habit | ☐Lateral bearer ✓ |]Semispur ☐Spur t | уре |
| Flower Density | ■None ■Light | ✓ Average | ☐Heavy |
| Fruit Doubles | ✓ None Avera | ge 🔲 High | |
| Crop load | NoneLight | ☐ Average | ✓ Heavy |
| Uniform Ripening | Yes ✓ No | | |
| Tree Vigour | Weak ✓ Avera | ge Strong | |
| Tree Habit | ☐Upright ☐ Uprig | ht spreading 🗸 Spread | ing |
| Bacterial Spot | ✓None Few | ☐ Many | ☐ Smothered |
| Comments | | | |

| Date of evaluation | 21/11/10 | Cultivar Variety | FTN0420 |
|--------------------|--------------------------------------|-------------------------------------|--------------------------|
| Location | Riverland | Evaluator name | Jason |
| Bloom 10% | | Full Bloom | 7/8/2010 |
| 1st Pick | 21/11/2010 | Last Pick | |
| Skin Thickness | ☐Thin ✓ Medium | ■Thick | |
| Colour type | ☐Striped ✓ Solid | ☐Blushed | ☐Bi-coloured |
| Over Colour | | |]Yellow]Dark Red |
| Background Colour | □Cream □Green | ☐Yellow/green [| Yellow |
| Colour Intensity | ☐Dull ✓ Moderat | te Bright | |
| Bruising | ✓ Absent □Light | ☐Moderate | Heavy |
| Flesh colour | □Cream □Green □ Red □Purple | White Yellow | □ Orange |
| Flesh Texture | ☐Hard ☐Coarse ☐ | | Rubbery Trine/melting |
| Bleeding | None Around sto | ne 🗸 Under skin | Amount 10-20% |
| Ave Fruit Size mm | 66 | Brix | 8 |
| Fruit Shape | _ | ☑Rounded ☐Slightly ymmetric | flat |
| Fruit tip | _ Large ✓ Flat | Fruit indent | ■Deep ✓Flat |
| Flavour | ☐Acid ☐Aromatic ☐Bland ☑Slightly s | | weet |
| Firmness | ■Soft ✓ Medium | □Hard | |
| Stone | Split% | ✓Cling | -cling Free |
| Russet | ■None ✓ Some | ☐ Majority | |
| Russet Position | ✓Calyx end ☐Cheeks ☐Lenticel ☐Stem } | ☐ Complete ☐ Genera bowl ☐ Stem end | 1 |
| Sunburn | ✓Absent Light | ☐ Moderate | Heavy |
| Stem Tare | ✓None Some | Severe | |
| Limb Rub | ■None ✓ Light | ☐ Moderate | Heavy |
| Cracking | ✓None Some | Severe | |
| PreHarvest drop | ■Evident ✓ Not E | vident | |
| Fruiting Habit | ✓Lateral bearer | Semispur 🔲 Spur t | уре |
| Flower Density | □None □Light | ✓ Average | ☐ Heavy |
| Fruit Doubles | ✓ None | ge 🔲 High | |
| Crop load | None | ✓ Average | ✓Heavy |
| Uniform Ripening | ✓Yes No | | |
| Tree Vigour | Weak ✓ Averag | ge 🔲 Strong | |
| Tree Habit | ✓ Upright □Uprigh | ht spreading $lacksquare$ Spread | ing |
| Bacterial Spot | ✓ None Few | ☐ Many | ☐ Smothered |
| Comments | very slight fruit tip | | |

| Date of evaluation | 22/11/2010 | Cultivar Variety | FTP0414 |
|--------------------|---------------------------------------|-------------------------------------|-----------------------------|
| Location | Riverland | Evaluator name | Jason |
| Bloom 10% | | Full Bloom | 12/9/2010 |
| 1st Pick | 22/11/2010 | Last Pick | |
| Skin Thickness | ☐Thin ✓ Medium | Thick | |
| Colour type | ☐Striped ☐ Solid | ✓ Blushed | ☐Bi-coloured |
| Over Colour | | |]Yellow]Dark Red |
| Background Colour | □Cream □Green | ☐ Yellow/green | ✓ Yellow |
| Colour Intensity | ☐Dull ✓ Modera | te Bright | |
| Bruising | ✓Absent ☐Light | ☐ Moderate [| Heavy |
| Flesh colour | □Cream □Green □ Red □Purple | White VYellow | Orange |
| Flesh Texture | ☐Hard ☐Coarse ☐ ☐Soft ☐Grainy/gri | | Rubbery Fine/melting |
| Bleeding | ✓None ☐Around sto | ne Under skin | Amount |
| Ave Fruit Size mm | 72 | Brix | 10 |
| Fruit Shape | | Rounded Slightly | flat |
| Fruit tip | ✓Large ✓Flat | Fruit indent | _ Deep ✓ Flat |
| Flavour | ☐Acid ☐Aromatic ☐Bland ☑Slightly: | ✓ Balanced ☐ Bitter sweet ☐ Very s | weet |
| Firmness | ■Soft ✓ Medium | □Hard | |
| Stone | Split* 5 | ✓Cling | -cling |
| Russet | ✓None Some | ☐ Majority | |
| Russet Position | ☐Calyx end ☐ Cheeks☐Lenticel ☐ Stem 1 | ☐ Complete ☐ Genera bowl ☐ Stem end | 1 |
| Sunburn | ✓Absent Light | ☐ Moderate | Heavy |
| Stem Tare | ✓ None Some | Severe | |
| Limb Rub | ✓ None Light | ☐ Moderate | Heavy |
| Cracking | ✓None Some | Severe | |
| PreHarvest drop | ■Evident ✓ Not E | vident | |
| Fruiting Habit | ✓Lateral bearer □ | Semispur Spur t | уре |
| Flower Density | □None □Light | ✓ Average | □Heavy |
| Fruit Doubles | ✓ None Avera | ge 🔲 High | |
| Crop load | ■None ■Light | ✓ Average | ☐Heavy |
| Uniform Ripening | ✓Yes No | | |
| Tree Vigour | Weak ✓ Avera | ge 🔲 Strong | |
| Tree Habit | | ht spreading \square Spread | _ |
| Bacterial Spot | ✓ None | ☐ Many | ☐ Smothered |
| Comments | | | |

| Bloom 10% Pink bud 7/8/2010 Full Bloom 28/8/2010 | FTN0422 Variety Yellow nectarine | Cultivar FTN0422 Variety Yellow nectarine Split Stone Pass Salanced Taste Pass Pass Fail Cracking Pass Fail Appearance Pass Fail Stem Tear Pass Fail Crop Yield High Medium Low Fruit Size mm 62 Bloom 10% Pink bud 7/8/2010 Full Bloom Skin Grean Green Maroon Purple Red Purple Flavour Acid Low Acid Low Acid Sub-Acid Brix % 10 Score /10 Arety Yellow nectarine | Date of Evaluat | ion | 25.11.2010 | | Location | Riverland | |
|---|--|---|-----------------|----------------------------|---------------|---------|------------|-----------|----------|
| Cultivar FTN0422 Variety Yellow nectarine Split Stone Pass Balanced Taste Pass Pass Fail Cracking Pass Pass Fail Cracking Pass Fail Fail Fail Fail Fruit Doubles Pass Fail Fruit Doubles Pass Fail Crop Yield High Medium Low Fruit Size mm 62 Bloom 10% Full Bloom 28/8/2010 1st Pick 25/11/2010 2nd Pick Skin | FTN0422 Variety Yellow nectarine | Cultivar FTN0422 Variety Yellow nectarine Split Stone | Evaluator Nam | <u> </u> | Jason | | Rootstock | GF677 | |
| Split Stone | Pass | Pass Fail Russet Pass Pass Pass Russet Pass Russet | | | | |] | | arino |
| Fail | Pass | Fail | | | | | | | aille |
| Fail Fail Fail | Pass Fail Pass Pass Pasi Pail Pass Pass Pail Pass Pail Pass Pass Pail Pass Pass Pail Pass Pass Pail Pass Pass Pass Pass Pass Pass Pass Pass | Russet | | | | | | | |
| Cracking ☑ Pass ☐ Fail Appearance ☑ Pass ☐ Fail Stem Tear ☑ Pass ☐ Fail Fruit Doubles ☑ Pass ☐ Fail Crop Yield ☑ High Medium ☐ Low Fruit Size mm 62 ☐ Full Bloom 28/8/2010 Ist Pick 25/11/2010 Full Bloom 28/8/2010 Skin ☐ Cream ☐ Green ☐ Orange ☐ Yellow ☐ Fail Skin ☐ Cream ☐ Green ☐ Dark Red ☐ Dark Red ☐ Fail Flesh ☐ Cream ☐ Green ☐ White ☑ Yellow ☐ Cream | Pass | Fail | Balanced Taste | | | | | | |
| Appearance ☒ Pass ☐ Fail Stem Tear ☒ Pass ☐ Fail Fruit Doubles ☒ Pass ☐ Fail Crop Yield ☒ High ☐ Medium ☐ Low Fruit Size mm 62 ☐ Full Bloom 28/8/2010 Bloom 10% Pink bud 7/8/2010 Full Bloom 28/8/2010 1st Pick 25/11/2010 2nd Pick Skin ☐ Cream ☐ Green ☐ Orange ☐ Yellow ☐ Fellow Flesh ☐ Cream ☐ Green ☐ White ☒ Yellow ☐ Cellow Flesh ☐ Cream ☐ Green ☐ White ☒ Yellow ☐ Cellow ☐ Red ☐ Purple ☐ Low Acid ☐ Sub-Acid ☐ Sub-Acid Brix % 10 ☐ Cellow ☐ Cellow ☐ Cellow ☐ Cellow Score /10 4 ☐ Cellow | Fail | Appearance | Russet | | ▼ Pass | | | Fail | |
| Fail | Pass | Fail | Cracking | | ⊠ Pass | | | Fail | |
| Fruit Doubles | Medium | Fruit Doubles | ppearance | | | | | | |
| Crop Yield ☑ High Medium Low Fruit Size mm 62 | Medium | Crop Yield | Stem Tear | | ▼ Pass | | | Fail | |
| Fruit Size mm 62 Bloom 10% Pink bud 7/8/2010 Full Bloom 28/8/2010 1st Pick 25/11/2010 2nd Pick Skin | e mm 62 0% Pink bud 7/8/2010 Full Bloom 28/8/2010 25/11/2010 2nd Pick Cream Green Orange Yellow Pink Maroon Purple Red Dark Red Cream Green White Yellow Orange Red Purple Acid Low Acid Sub-Acid 10 4 4 | Fruit Size mm | ruit Doubles | | ▼ Pass | | | Fail | |
| Bloom 10% Pink bud 7/8/2010 Full Bloom 28/8/2010 | 0% Pink bud 7/8/2010 Full Bloom 28/8/2010 25/11/2010 2nd Pick Cream Green Orange Yellow Pink Maroon Purple Red Dark Red Cream Green White Yellow Orange Red Purple Acid Low Acid Sub-Acid 10 4 | Bloom 10% Pink bud 7/8/2010 Full Bloom 28/8/2010 1st Pick 25/11/2010 2nd Pick Skin | Crop Yield | | | | Medium | L | ow |
| 1st Pick 25/11/2010 2nd Pick Skin Cream Green Orange Yellow Flex Green Cream Green White Yellow Cream Green White Yellow Cream Green White Yellow Cream Green Green Cream Green G | 25/11/2010 2nd Pick | Ist Pick 25/11/2010 2nd Pick | Fruit Size mm | 62 | | | | | |
| Skin Cream Green Orange Yellow F Maroon Purple Red Dark Red Flesh Cream Green White Yellow C Red Purple Dark Red Stellow C Flavour Acid Low Acid Sub-Acid Brix % 10 Score /10 4 | Cream | Skin Cream Green Orange Yellow Pink Maroon Purple Red Dark Red Dark Red Purple Red Purple Sked Sub-Acid Sub-Acid Sub-Acid Sub-Acid Sub-Acid Score /10 4 Yellow No | Bloom 10% | Pink bud | 7/8/2010 | | Full Bloom | 28/8/2010 | |
| Maroon Purple ⋉ Red Dark Red Flesh Cream Green White ⋉ Yellow C Red Purple Flavour ⋈ Acid Low Acid Sub-Acid Brix % 10 Score /10 4 | Maroon Purple Red Dark Red Cream Green White Yellow Orange Red Purple Acid Low Acid Sub-Acid 10 4 | Maroon Purple X Red Dark Red | 1st Pick | 25/11/201 | 10 | | 2nd Pick | | |
| Flesh Cream Green White Yellow C Red Purple Flavour X Acid Low Acid Sub-Acid Brix % 10 Score /10 4 | Cream Green White Yellow Orange Red Purple Acid Low Acid Sub-Acid 10 4 | Flesh Cream Green White X Yellow Orange Red Purple Flavour X Acid Low Acid Sub-Acid Brix % 10 Score /10 4 Yellow No | Skin Cream | n Green Orange Yellow Pink | | | | | |
| Red Purple Flavour X Acid Low Acid Sub-Acid Brix % 10 Score /10 4 | Red □ Purple ✓ Acid □ Low Acid □ Sub-Acid 10 □ 0 4 | Red Purple Flavour Acid | | | | | | | |
| Flavour ☒ Acid ☐ Low Acid ☐ Sub-Acid Brix % 10 Score /10 4 | Image: Control of the control of | Flavour | _ | l | _ | ∐ White | | X Yellow | ∐ Orange |
| Score /10 4 | 0 4 | Score /10 4 Progress to Stage 2 Yes No | | | | | Low Acid | Si | ub-Acid |
| | | Progress to Stage 2 Yes No | Brix % | 10 | | | | | |
| | | Progress to Stage 2 Yes No | Score /10 | 4 | | | | | |
| | | | | | | | | No | |
| | | Comments too many splitstones | | | | | | | |
| | | Comments too many splitstones | | | | | | | |
| | | too many splitstones | | | | | | | |
| | A CONTRACTOR OF THE CONTRACTOR | | ments | too many | splitstones | | | | |
| too many splitstones | too many splitstones | | | | | | | | |
| comments too many splitstones | too many splitstones | | | | | | | | |

| Date of Evaluation | | 25/11/10 | | Location | | Riverland | |
|-----------------------|--------------------|-------------------|-----------------|-------------------|--------------|----------------------|----------------|
| Evaluator Name | | Jason | | Rootstock | | GF677 | |
| Cultivar | | FTP0119 | | Variety | | Yellow peach | |
| Pink Bud | | 28/7/2010 | | Full Bloom | | 20/8/2010 | |
| 1st Pick | | 25/11/2010 | | 2nd Pick | | | |
| Skin Thickness | Thin | ⋉ Medium | Thick Co | lour Intensity | Dull | ⋉ Moderate | Bright |
| Colour Type | Striped | d Solid | ▼ Blushe | ed B | i-coloured | | |
| Over Colour | None | Cream | Green | O | range | Yellow | Pink |
| % | Maroo | n Purple | Red | X D | ark Red | | |
| Background Colour | Cream | Green | Yellow | /Green X Y | ellow | | |
| Bruising | X Absen | t Light | Mode | ate H | eavy | Skin /10 | 8 |
| Flesh Colour | Cream | Green | White | Yellow | Orange | Red | Purple |
| Flesh Texture | Hard | Coarse | Crisp | X C | runchy | Rubbery | Soft |
| | Juicy | Grainy/ | gritty Mediu | m Fi | ne/melting | | |
| Bleeding | None | Around | I stone 💢 Under | skin Amo u | unt 2-5% | Flesh /10 | 8 |
| Ave Fruit Size mm | 72mm (6 | 9-75mm) | | Brix % | 11 | | |
| Fruit Shape | Oblon | g Ovate | ズ Round | led SI | lightly flat | X Asymmetric | Symmetric |
| Fruit Tip | Large | Flat | ⊠ Slight Fre | iit Indent | Deep | Flat | Slight |
| Flavour | Acid | Aromat | ic Baland | ed Bi | tter | Bland | Slightly sweet |
| | X Very sv | weet | Fir | mness | Soft | ▼ Medium | Hard |
| Split Stone % | 40% | | | Fruit /10 | 6 | | |
| Russet | X None | Some | Majori | ty | | | |
| Russet Position | Calyx e | end Cheeks | Complete | General | Ler | iticel Stem | bowl Stem end |
| Sunburn | X Absen | t Light | Mode | ate H | eavy | | |
| Stem Tear | X None | Some | Severe | acking | None | Some | Severe |
| Limb Rub | X None | Light | Model | ate H | eavy | | |
| Cracking | X None | Some | Severe | eharvest Drop | Evider | nt 🔀 Not Eviden | t |
| Fruiting Habit | X Latera bearer | | Spur Type Un | iform Ripening | X Yes | ☐ No | |
| Flower Density | None | Light | X Avera | је 🔲 Н | eavy | Commercial | |
| Fruit Doubles | X None | Low | Average | је 🔲 Н | igh | | |
| Crop Load | None | Light | X Avera | је 🔲 Н | eavy | Commercial | |
| Tree Vigour | Weak | Average | X Strong Tre | ee Habit | X Uprigl | ht Upright spreading | Spreading |
| Bacterial Spot | X None | Few | Many | Smothered Tr | ee /10 | 8 | |
| Comments | split stone | s less last year. | | <u> </u> | | Overall Score /1 | o 7 |

| Date of Evaluation | | 25/11/10 | | Location | | Riverland | |
|--------------------|-----------|----------------------|--------------------|----------------|-------------------|----------------------|----------------|
| Evaluator Name | | Jason | | Rootstock | | GF677 | |
| Cultivar | | FTN0416 | | Variety | | Yellow nectarine | |
| Pink Bud | | 19/7/2010 | | Full Bloom | | 12/8/2010 | |
| 1st Pick | | 25/11/2010 | | 2nd Pick | | | |
| Skin Thickness | Thin | ▼ Medium | Thick Co | lour Intensity | Dull | ⋈ Moderate | Bright |
| Colour Type | Striped | d X Solid | Blushe | ed [| Bi-coloured | | |
| Over Colour | None | Cream | Green | | Orange | Yellow | Pink |
| % | Maroo | n Purple | Red | Σ | ✓ Dark Red | | |
| Background Colour | Cream | Green | Yellow | ı/Green 🔀 | ₹ Yellow | | |
| Bruising | X Absen | t Light | Mode | rate | Heavy | Skin /10 | 8 |
| Flesh Colour | Cream | Green | White | Yellow | Orange | Red | Purple |
| Flesh Texture | Hard | Coarse | Crisp | Σ | ₹ Crunchy | Rubbery | Soft |
| | Juicy | Grainy/ | gritty Mediu | m [| Fine/melting | | |
| Bleeding | None | Around | stone X Under | skin A | mount 0 | Flesh /10 | 8 |
| Ave Fruit Size mm | 68mm (6 | 7-73mm) | | Brix % | 10 | | |
| Fruit Shape | X Oblon | g Ovate | Round | led [| Slightly flat | X Asymmetric | Symmetric |
| Fruit Tip | Large | ⋉ Flat | Slight | uit Indent | Deep | Flat | |
| Flavour | X Acid | Aromat | ic Balanc | ed [| Bitter | Bland | Slightly sweet |
| | Very sv | veet | Fir | mness | Soft | Medium | X Hard |
| Split Stone % | 0% | | <u>'</u> | Fruit /10 | 7 | | |
| Russet | X None | Some | Majori | ty | | | |
| Russet Position | Calyx e | end Cheeks | Complete | Gene | ral Le | nticel Stem | bowl Stem end |
| Sunburn | X Absen | t Light | Model | rate [| Heavy | | |
| Stem Tear | X None | Some | Severe | acking | X None | Some | Severe |
| Limb Rub | X None | Light | Model | rate [| Heavy | | |
| Cracking | X None | Some | Severe | eharvest Drop | Evide | nt 🔀 Not Evider | nt |
| Fruiting Habit | X Lateral | | Spur Type Un | iform Ripening | g X Yes | ☐ No | |
| Flower Density | None | Light | X Averag | ge [| Heavy | Commercial | |
| Fruit Doubles | X None | Low | Average | ge [| High | | |
| Crop Load | None | Light | X Avera | ge [| Heavy | Commercial | |
| Tree Vigour | Weak | Average | X Strong Tre | ee Habit | ▼ Uprig | ht Upright spreading | Spreading |
| Bacterial Spot | X None | Few | Many | Smothered | Tree /10 | 7 | |
| Comments | | al comparator: Strai | ght after Zee fire | | | Overall Score / | 7 |

| Date of Evaluation | | 27/11/2010 | | Location | | Riverland | |
|--------------------|---------------|-----------------|-----------------|------------------|---------------|----------------------|----------------|
| Evaluator Name | | Jason | | Rootstock | | Nemaguard | |
| Cultivar | | FTP0213 | | Variety | | Yellow peach | |
| Pink Bud | | 16/8/2010 | | Full Bloom | | 9/9/2010 | |
| 1st Pick | | 27/11/10 | | 2nd Pick | | | |
| Skin Thickness | Thin | ⋉ Medium | Thick Co | lour Intensity | Dull | Moderate | ★ Bright |
| Colour Type | Striped | I Solid | ▼ Blushe | d | Bi-coloured | | |
| Over Colour | None | Cream | Green | | Orange | Yellow | Pink |
| % | Maroo | n Purple | X Red | | Dark Red | | |
| Background Colour | Cream | Green | Yellow | /Green 💢 | Yellow | | |
| Bruising | X Absent | tLight | | ate \square | Heavy | Skin /10 | 8 |
| Flesh Colour | Cream | Green | White 🔀 | Yellow | Orange | Red | Purple |
| Flesh Texture | Hard | Coarse | Crisp | <u> </u> | Crunchy | Rubbery | Soft |
| | Juicy | Grainy/ | gritty Mediu | | Fine/melting | | |
| Bleeding | None | Around | I stone 💢 Under | skin Ame | ount 20% | Flesh /10 | 8 |
| Ave Fruit Size mm | 77mm (7. | 2 93mm) | | Brix % | 10 | | |
| Fruit Shape | | | | | | | |
| | Oblone | | Round | ed uit Indent | Slightly flat | Asymmetric | Symmetric |
| Fruit Tip | Large | Flat | X Slight | | Deep | Flat | Slight |
| Flavour | Acid | Aromat | | | Bitter | Bland | Slightly sweet |
| | Very sv | veet | Fir | mness | Soft | ⋈ Medium | Hard |
| Split Stone % | 10-220% | | | Fruit /10 | 7 | | |
| Russet | X None | Some | Majori | ty | | | |
| Russet Position | Calyx e | end Cheeks | Complete | General | Ler | nticel Stem | bowl Stem end |
| Sunburn | X Absent | : Light | Modei | ate | Heavy | | |
| Stem Tear | None | ⋉ Some | Severe | ncking | X None | Some | Severe |
| Limb Rub | ⋈ None | Light | Modei | ate | Heavy | | |
| Cracking | X None | Some | Severe | harvest Drop | Evide | nt 🔀 Not Eviden | t |
| Fruiting Habit | X Lateral | Semispur | Spur Type Un | iform Ripening | X Yes | ☐ No | |
| Flower Density | None | Light | X Averag | ge 🔲 | Heavy | Commercial | |
| Fruit Doubles | ⋉ None | Low | Averag | ge 🔲 | High | | |
| Crop Load | None | Light | X Averag | ge 🔲 | Heavy | Commercial | |
| Tree Vigour | Weak | X Average | Strong | e Habit | | ht Upright spreading | Spreading |
| Bacterial Spot | X None | Few | Many | Smothered | ree /10 | 8 | |
| Comments | Good first | _ | | 1 | | Overall Score /1 | 8 |

Factree Editorial Notes:

Please note that split stones recorded, ranged from 10-20%

| Date of Evaluation | | 28/11/2010 | Location | Location | | Riverland | | |
|--------------------|----------------|---------------|----------------|----------------|-----------|-----------|---------------------|--------------------|
| Evaluator Name | | Jason | Rootstock | Rootstock | | GF8-1 | | |
| Cultivar | | Flavor Royale | Variety | Variety | | Pluot | | |
| Pink Bud | | 10/8/2010 | | Full Bloom | ı | | 4/9/2010 | |
| 1st Pick | | 28/11/2010 | | 2nd Pick | | | | |
| Skin Thickness | Thin | X Medium | Thick | lour Intensity | × | Dull | Moderate | Bright |
| Colour Type | Striped | d X Solid | Blush | ed [| Bi-colou | ured | | |
| Over Colour | None | Cream | Green | | Orange | | Yellow | Pink |
| % | Maroo | n X Purple | Red | [| Dark Re | ed | | |
| Background Colour | Cream | X Green | Yellov | v/Green [| Yellow | | | |
| Bruising | X Absen | t Light | Mode | rate [| Heavy | | Skin /10 | 7 |
| Flesh Colour | Cream | Green | White | Yellow | Oran | ge [| X Red | Purple |
| Flesh Texture | Hard | Coarse | ⋉ Crisp | [| X Crunchy | у | Rubbery | Soft |
| | Juicy | Grainy/ | gritty Mediu | ım [| Fine/me | elting | | |
| Bleeding | None | Around | stone Unde | skin | Amount | 100% | Flesh /10 | 8 |
| Ave Fruit Size mm | 60mm (5 | 3-65mm) | | Brix % | | 15 Avg. | (12-16) | |
| Fruit Shape | Oblon | g Ovate | ⋉ Round | ded [| Slightly | flat | Asymmetric | Symmetric |
| Fruit Tip | Large | ⋉ Flat | Slight | uit Indent | | Deep | Flat | Slight |
| Flavour | Acid | Aromat | ic 🔀 Balan | ced [| Bitter | | Bland | Slightly sweet |
| | Very sv | veet | Fi | rmness | | Soft | ⋉ Medium | Hard |
| Split Stone % | 0 | | | Fruit /1 | 0 8 | 3 | | |
| Russet | X None | Some | Major | ity | | | | |
| Russet Position | Calyx 6 | end Cheeks | Complete | Gen | eral | Lent | ticel Stem | bowl Stem end |
| Sunburn | X Absen | t Light | Mode | rate [| Heavy | | | |
| Stem Tear | X None | Some | Severe | acking | | None | Some | Severe |
| Limb Rub | None | ∠ Light | Mode | rate [| Heavy | | | |
| Cracking | None | X Some | Severe | eharvest Drop | , [| Eviden | t 💢 Not Evider | nt |
| Fruiting Habit | Lateral bearer | | Spur Type U | niform Ripenir | ng [| Yes | ☐ No | |
| Flower Density | None | Light | X Avera | ge [| Heavy | | Commercial | |
| Fruit Doubles | X None | Low | Avera | ge [| High | | | |
| Crop Load | None | Light | X Avera | ge [| Heavy | | Commercial | |
| Tree Vigour | ☐ Weak | X Average | Strong | ee Habit | | Uprigh | t Upright spreading | ▼ Spreading |
| Bacterial Spot | X None | Few | Many | Smothered | Tree / | 10 | 8 | |
| Comments | l Ni ata | | | | | | Overall Score / | 10 8 |

| Date of Evaluation | | 29/11/2010 | | Location | | Riverland | |
|--------------------|------------------|------------------------|-----------------------|-----------------------|----------|------------------------|--------------------|
| Evaluator Name | | Jason | | Rootstock | | Colt | |
| Cultivar | | Brooks | | Variety | | Cherry | |
| Pink Bud | | 20/9/2010 | | Full Bloom | | 10/10/2010 | |
| 1st Pick | | 29/11/2010 | | 2nd Pick | | | |
| Skin Thickness | Thin | ⋈ Medium | Thick Co | lour Intensity | Dull | Moderate | ⊠ Bright |
| Colour Type | Stripe | d 🔀 Solid | Blushe | ed Bi-col | oured | | |
| Over Colour | None | Cream | Green | Orang | je | Yellow | Pink |
| % | Maroo | on Purple | Red | X Dark F | Red | | |
| Background Colour | Cream | Green | Yellow | ı/Green Yellov | v | | |
| Bruising | X Absen | t Light | Moder | rate Heavy | / | Skin /10 | 8 |
| Flesh Colour | Cream | Green | White | Yellow Ora | ange | X Red □ | Purple |
| Flesh Texture | Hard | Coarse | Crisp | ズ Crunc | hy | Rubbery | Soft |
| | Juicy | Grainy/ | gritty Mediu | m Fine/r | melting | | |
| Bleeding | None | Around | stone Under | skin Amount | | Flesh /10 | 8 |
| Ave Fruit Size mm | 26 (26-28 | 3) | | Brix % | 23.5 | | |
| Fruit Shape | Oblon | g Ovate | Round | led 🔀 Slight | ly flat | Asymmetric | ⋉ Symmetric |
| Fruit Tip | Large | ⋉ Flat | Slight | uit Indent | Deep | Flat | Slight |
| Flavour | Acid | Aromat | tic 🔀 Balanc | ed Bitter | | Bland | ✓ Slightly sweet |
| | Very s | weet | Fir | mness | Soft | X Medium | Hard |
| Split Stone % | | | <u> </u> | Fruit /10 | 7 | | |
| Russet | X None | Some | Majori | ty | | | |
| Russet Position | Calyx e | end Cheeks | Complete | General | Len | ticel Sten | n bowl Stem end |
| Sunburn | X Absen | t Light | Moder | rate Heavy | <i>'</i> | | |
| Stem Tear | None | ⋉ Some | Severe | acking | None | ⋉ Some | X Severe |
| Limb Rub | X None | Light | Moder | rate Heavy | / | | |
| Cracking | ☐ None | ⋉ Some | ズ Severe Pre | eharvest Drop | Evider | nt 🔀 Not Evide | nt |
| Fruiting Habit | Latera bearer | I Y I Semishiir | Spur Type Un | iform Ripening | X Yes | ☐ No | |
| Flower Density | None | Light | X Averag | ge Heavy | , | Commercial | |
| Fruit Doubles | X None | Low | Averag | ge 🔲 High | | | |
| Crop Load | None | Light | X Averag | ge Heavy | 1 | Commercial | |
| Tree Vigour | Weak | Average | ズ Strong Tre | ee Habit | Uprigh | nt X Upright spreading | Spreading |
| Bacterial Spot | X None | Few | Many | Smothered Tree | /10 | sp.cading | |
| Comments | minor shri | velling of the skin wh | nen it gets ripe, wit | h cracking. Accepta | | Overall Score / | 10 8 |

Factree Editorial Notes:

Please note, in the comments box it continues to say, Acceptable considering the rain we have had.

Stage 1 Evaluation 29/11/2010 Location Riverland **Date of Evaluation Evaluator Name** Jason Rootstock Citation Pluot Spring Flavor Variety Cultivar **Split Stone ▼** Pass ☐ Fail **Balanced Taste** Pass **⋉** Fail ▼ Pass ☐ Fail Russet Cracking **X** Pass ☐ Fail **Appearance X** Pass ☐ Fail **Stem Tear** X Pass ☐ Fail **Fruit Doubles** ▼ Pass Fail **Crop Yield** High X Low Fruit Size mm 60 Bloom 10% **Full Bloom** 30/8 1st Pick 29/11/2010 2nd Pick Skin Cream Green Orange ☐ Yellow ☐ Pink Dark Red Purple Red Flesh Cream ☐ Green ☐ White X Yellow Orange Red Purple X Acid Low Acid Sub-Acid **Flavour** 10 (10-13) **Brix** % Score /10 Progress to Stage 2 ☐ Yes ⋉ No Comments Not uniform ripening, lower cropping this year. Only advantage is early. **Factree Editorial Notes:**

| Date of Evaluation | | 2/12/2010 | | Location | | Riverland | |
|--------------------|-----------|------------|------------|------------------|---------------|--------------------|---------------------------------------|
| Evaluator Name | | Jason | | Rootstock | (| GF677 | |
| Cultivar | | FTN022 | | Variety | | Yellow nectarine | |
| Pink Bud | | 7/8/2010 | | Full Bloon | n | 27/8/2010 | |
| 1st Pick | | 2/12/2010 | | 2nd Pick | | | |
| Skin Thickness | Thin | X Medium | Thick | Colour Intensity | y Dull | Moderate | ★ Bright |
| Colour Type | Striped | d X Solid | Blus | hed | Bi-coloured | | |
| Over Colour | None | Cream | Gre | en | Orange | Yellow | Pink |
| % 30 | Maroo | n Purple | Red | | X Dark Red | | |
| Background Colour | Cream | Green | Yell | ow/Green | X Yellow | | |
| Bruising | X Absen | t Light | | derate | Heavy | Skin /10 | 8 |
| Flesh Colour | Cream | Green | White | X Yellow | Orange | Red | Purple |
| Flesh Texture | Hard | Coarse | Cris | p | X Crunchy | Rubbery | Soft |
| | Juicy | Grainy/ | gritty Med | lium | Fine/melting | | |
| Bleeding | X None | Around | stone Unc | ler skin | Amount | Flesh /10 | 8 |
| Ave Fruit Size mm | 71mm (6 | 8-75) | | Brix % | 11 (10- | -13) | |
| Fruit Shape | X Oblone | g Ovate | Rou | mded | Slightly flat | Asymmetric | Symmetric |
| Fruit Tip | Large | Flat | X Slight | Fruit Indent | | p Flat | Slight |
| Flavour | Acid | Aromat | ic Bala | nced | Bitter | Bland | Slightly sweet |
| | Very sv | veet | | Firmness | Soft | ▼ Medium | ───────────────────────────────────── |
| Split Stone % | 0 | | | Fruit /1 | 10 9 | | |
| Russet | X None | Some | Maj | <u> </u> | | | |
| Russet Position | Calyx e | end Cheeks | Complete | e Ger | neral Le | enticel Ster | m bowl Stem end |
| Sunburn | X Absen | t Light | Mod | derate | Heavy | | |
| Stem Tear | X None | Some | Severe | Cracking | X None | e Some | Severe |
| Limb Rub | X None | Light | | derate | Heavy | | |
| Cracking | X None | Some | Severe | Preharvest Dro | p Evide | ent X Not Evide | nt |
| Fruiting Habit | X Lateral | Semispur | Spur Type | Jniform Ripeni | ng X Yes | ☐ No | |
| Flower Density | None | Light | X Ave | rage | Heavy | ▼ Commercial | |
| Fruit Doubles | X None | Low | Ave | rage | High | | |
| Crop Load | None | Light | X Ave | rage | Heavy | ▼ Commercial | |
| Tree Vigour | Weak | X Average | Strong | Гree Habit | | Upright | Spreading |
| Bacterial Spot | X None | Few | Many | Smothered | Tree /10 | 8.5 | , — |
| Comments | l Night - | | | | | Overall Score / | 8.5 |

| Date of Evaluation | | 1/12/2010 | | Location | Riverland | Riverland | | |
|------------------------|--------------------|---------------------|------------|------------|--------------|-----------|--|--|
| Evaluator Name | | Jason | | Rootstock | Citation | Citation | | |
| Cultivar | | FTA053 | | Variety | Apricot | Apricot | | |
| Split Stone | | × Pass | | | | | | |
| Balanced Taste | | ⋉ Pass | | ☐ Fail | | | | |
| Russet X Pass | | | | ☐ Fail | | | | |
| Cracking | | X Pass | | Fa | ail | | | |
| Appearance | | Pass | | ⊠ Fa | ail | | | |
| Stem Tear | | × Pass | | Fa | ail | | | |
| ruit Doubles | | × Pass | | Fa | ail | | | |
| Crop Yield | | ☐ High | | Medium | Medium 🔀 Low | | | |
| Fruit Size mm | 57 | | | | | | | |
| Bloom 10% | Pink bud 31/8/2010 | | | Full Bloom | 20/9/2010 | | | |
| 1st Pick | 1/12/2010 | | | 2nd Pick | | | | |
| Skin 🔀 Cream | | Green | ☐ Orang | je | Yellow | ☐ Pink | | |
| ☐ Maroo | n | ☐ Purple | Red | | ☐ Dark Red | | | |
| Flesh ☐ Cream ☐ Red | | ☐ Green ☐ Purple | ☐ White | • | X Yellow | ☐ Orange | | |
| Flavour | | Acid | [\forall] |] Low Acid | | | | |
| Brix % | 12 | | |] | | | | |
| | 5 | | |] | | | | |
| Score /10 | | □ Vaa | | | | | | |
| Progress to Stag | je 2 | Yes | | X N | 0 | | | |

| Date of Evaluation | | 30/11/2010 | | Location | | Riv | Riverland | | |
|-----------------------|--------------|------------|----------------|----------------|--------------|--|---------------------|---------------------|--|
| Evaluator Name | | FTN059 | Rootstock | | GF | GF677 | | | |
| Cultivar | | 59Z418 | | Variety | | Ye | ellow nectarine | | |
| Pink Bud | | 8/8/2010 | | Full Bloom | | 30 | /8/2010 | | |
| 1st Pick | | 30/11/2010 | | 2nd Pick | | | | | |
| Skin Thickness | X Thin | Medium | Thick Co | lour Intensity | Du | ــــــــــــــــــــــــــــــــــــــ | Moderate | X Bright | |
| Colour Type | Striped | d Solid | ズ Blushe | ed [| Bi-coloure | d | | | |
| Over Colour | None | Cream | Green | | Orange | | Yellow | Pink | |
| % | Maroo | n Purple | Red | | Dark Red | | | | |
| Background Colour | Cream | Green | X Yellov | ı/Green | Yellow | | | | |
| Bruising | X Absen | t Light | Mode | rate [| Heavy | | Skin /10 | 8 | |
| Flesh Colour | Cream | Green | White | Yellow | Orange | | Red | Purple | |
| Flesh Texture | Hard | Coarse | Crisp | | Crunchy | | Rubbery | Soft | |
| | Juicy | Grainy/ | gritty Mediu | m [| Fine/melti | ng | | | |
| Bleeding | None | Around | stone X Under | skin p | Mount 5% | | Flesh /10 | 8 | |
| Ave Fruit Size mm | 68mm (6 | 6-74) | | Brix % | 10 | .5 | | | |
| Fruit Shape | X Oblon | g Ovate | Round | ed [| Slightly fla | t | Asymmetric | Symmetric Symmetric | |
| Fruit Tip | Large | Flat | ⊠ Slight Fr | uit Indent | | Deep | Flat | Slight | |
| Flavour | Acid | Aromat | ic 🔀 Baland | ced [| Bitter | | Bland | Slightly sweet | |
| | Very sv | veet | Fir | mness | | Soft | Medium | X Hard | |
| Split Stone % | 5% | | | Fruit /1 | 0 8 | | | | |
| Russet | X None | Some | Major | ty | | | | | |
| Russet Position | Calyx 6 | end Cheeks | Complete | Gene | eral [| Lentic | el Stem | bowl Stem end | |
| Sunburn | X Absen | t Light | Mode | rate | Heavy | | | | |
| Stem Tear | X None | Some | Severe | acking | X | None | Some | Severe | |
| Limb Rub | X None | Light | Mode | rate | Heavy | | | | |
| Cracking | X None | Some | Severe | eharvest Drop | | Evident | X Not Eviden | t | |
| Fruiting Habit | X Lateral | | Spur Type Ur | iform Ripenin | g 🔀 | Yes | ☐ No | | |
| Flower Density | None | Light | X Avera | ge [| Heavy | | Commercial | | |
| Fruit Doubles | X None | Low | Avera | ge [| High | | | | |
| Crop Load | None | Light | X Avera | ge [| Heavy | | Commercial | | |
| Tree Vigour | Weak | Average | X Strong Tr | ee Habit | X | Upright | Upright spreading | Spreading | |
| Bacterial Spot | X None | Few | Many [| Smothered | Tree /10 |) | 8 | | |
| Comments | l Ni a t a - | - | | | | | Overall Score /1 | 8 | |